



State of Louisiana
Department of Health and Hospitals
Bureau of Health Services Financing

MEMORANDUM

DATE: September 1, 2015
TO: All Louisiana Medicaid Fee for Service (FFS) Providers
FROM: 
J. Ruth Kennedy, Medicaid Director
SUBJECT: ICD-10 Diagnosis Codes at FFS Point of Sale (POS)

Effective October 1, 2015, FFS Medicaid will only accept ICD-10 diagnosis codes at POS in NCPDP field 424-DO (Diagnosis Code). A diagnosis code qualifier of "02" must be submitted in NCPDP field 492-WE (Diagnosis Code Qualifier) to identify the ICD-10 code.

Any prescription that requires a diagnosis code at POS and is filled, new or refill, with a date of service on or after October 1, 2015 must have a qualifier of "02" and an appropriate ICD-10 diagnosis code. Prescriptions filled before October 1, 2015 should have a qualifier of "01" and an appropriate ICD-9 diagnosis code, if required.

Please refer to the chart below to identify medications that require a diagnosis code at POS for FFS Medicaid pharmacy claims and the appropriate ICD-10s that would be acceptable.

Your continued cooperation and support of the Louisiana Medicaid Program efforts to coordinate care and improve health are greatly appreciated.

If you have questions about the contents of this memo, you may contact the Pharmacy Help Desk at (800) 437-9101 or refer to www.lamedicaid.com.

JRK/MBW/ESF

c: Bayou Health Plans
Bill Perkins
Jen Steele
Melwyn B. Wendt
Molina

Louisiana Medicaid Fee-For-Service Pharmacy Program ICD-10-CM Update for Medications with Point-of-Sale Diagnosis Code Policies Effective 10/01/2015			
Medications Requiring Diagnosis Code(s)		Diagnosis Description	ICD-10 Codes
Generic Name	Brand Name Examples		
AbobotulinumtoxinA	Dysport®	Cervical Dystonia	G24.3
		Upper Limb Spasticity (ULS) Associated with C5-C7 Complete Quadriplegia	G82.53
		Upper Limb Spasticity (ULS) Associated with C5-C7 Incomplete Quadriplegia	G82.54
		Upper Limb Spasticity (ULS) Associated with Cerebral Palsy	G80.0, G80.1, G80.2, G80.4, G80.8, G80.9
		Upper Limb Spasticity (ULS) Associated with Diplegia of Upper Limb	G83.0
		Upper Limb Spasticity (ULS) Associated with Hemiplegia due to Late Effects of Cerebrovascular Disease	I69.●51, I69.●52, I69.●53, I69.●54, I69.●59
		Upper Limb Spasticity (ULS) Associated with Intracranial Injury of Other and Unspecified Nature (Traumatic Brain Injury)	S06.1*, S06.2*, S06.3*, S06.4*, S06.5*, S06.6*, S06.8*, S06.9*
		Upper Limb Spasticity (ULS) Associated with Monoplegia of Upper Limb	G83.2*
		Upper Limb Spasticity (ULS) Associated with Monoplegia of Upper Limb due to Late Effects of Cerebrovascular Disease	I69.●31, I69.●32, I69.●33, I69.●34, I69.●39
		Upper Limb Spasticity (ULS) Associated with Multiple Sclerosis (Relapsing)	G35
		Upper Limb Spasticity (ULS) Associated with Spastic Hemiplegia	G81.1*
		Upper Limb Spasticity (ULS) Associated with Spinal Cord Injury without Evidence of Spinal Bone Injury (C5-C7)	S14.1●5, S14.1●6, S14.1●7, S14.0*
Adalimumab	Humira®	Ankylosing Spondylitis	M08.1, M45*, M48.8*
		Chron's Disease	K50.*
		Polyarticular Juvenile Idiopathic Arthritis	M08.0*, M08.2*, M08.3, M08.8*, M08.9*
		Psoriatic Arthritis	L40.*
		Rheumatoid Arthritis	M05.*, M06.*, M45.*
Albuterol QL	ProAir HFA® QL, Proventil HFA® QL, Ventolin HFA® QL	Ulcerative Colitis	K51.*
		Bronchitis, not specified	J40
		Chronic Airway Obstruction	J44.9
		Cystic Fibrosis	E84.*
		Emphysema	J43.*
Aldesleukin	Proleukin®	Obstructive Chronic Bronchitis, Chronic Obstructive Asthma	J44.*
		Melanoma	C43.*
Alemtuzumab	Lemtrada®	Renal Cell Carcinoma	C64.*
		Multiple Sclerosis (Relapsing)	G35
Alprazolam ODT	Niravam®	Generalized Anxiety Disorder	F41.1
		Panic Disorder with Agoraphobia	F40.01
Alprazolam XR	Xanax XR®	Panic Disorder without Agoraphobia	F41.0
		Panic Disorder with Agoraphobia	F40.01
Ambrisentan	Letairis®	Pulmonary Arterial Hypertension	I27.0, I27.2, I27.89, P29.3

Louisiana Medicaid Fee-For-Service Pharmacy Program ICD-10-CM Update for Medications with Point-of-Sale Diagnosis Code Policies Effective 10/01/2015			
Medications Requiring Diagnosis Code(s)		Diagnosis Description	ICD-10 Codes
Generic Name	Brand Name Examples		
Amphetamine Salt Combo	Adderall®	Hyperkinetic Syndrome Narcolepsy	F90.* G47.4*
Aripiprazole Oral	Abilify® Oral	Aggression or Irritability in Pervasive Developmental Disorder (PDD)	F84.*
		Aggression in Conduct Disorder, Disruptive Behavior Disorder, Explosive Personality Disorder, Impulse Control Disorder, Intermittent Explosive Disorder, Isolated Explosive Disorder, Pervasive Developmental Disorder, or Unsocialized Aggression	F60.3, F63.3, F63.8*, F63.9, F84.*, F91.1, F91.8, F91.9
		Psychoses in Bipolar Disorder, Psychoses in Other Episodic Mood Disorders	F30.*, F31.*, F32.8, F34.8, F34.9, F39
		Delusions, Dementia, Psychoses	F01.*, F02.*, F03.*, F04, F05, F06.0, F06.2, F06.30, F06.31, F06.32, F06.33, F06.34, F06.8, F10.150, F10.151, F10.250, F10.251, F10.26, F10.94, F10.950, F10.951, F10.96, F10.97, F11.121, F11.150, F11.151, F11.221, F11.250, F11.251, F11.921, F11.950, F11.951, F12.121, F12.150, F12.151, F12.221, F12.250, F12.251, F12.921, F12.950, F12.951, F13.121, F13.150, F13.151, F13.221, F13.250, F13.251, F13.27, F13.921, F13.950, F13.951, F13.97, F14.121, F14.150, F14.151, F14.221, F14.250, F14.251, F14.921, F14.950, F14.951, F15.121, F15.150, F15.151, F15.221, F15.250, F15.251, F15.921, F15.950, F15.951, F16.121, F16.150, F16.151, F16.221, F16.250, F16.251, F16.921, F16.950, F16.951, F18.121, F18.150, F18.151, F18.17, F18.221, F18.250, F18.251, F18.27, F18.921, F18.950, F18.951, F18.97, F19.121, F19.150, F19.151, F19.17, F19.221, F19.250, F19.251, F19.27, F19.921, F19.950, F19.951, F19.97, F22, F23, F24, F28, F29, F32.3, F33.3, F44.89
		Irritability in Autistic Disorder	F84.0
		Major Depressive Disorder	F32.0, F32.1, F32.2, F32.3, F32.4, F32.5, F32.9, F33.0, F33.1, F33.2, F33.3, F33.40, F33.41, F33.42, F33.8, F33.9
		Schizophrenia or Schizoaffective Disorder	F20.*, F25.*
		Tics/Tourette's Disorder	F95.*, G25.6*
		Additional Covered Codes: Borderline Personality Disorder, Depersonalization Disorder, Obsessive-Compulsive Disorder, Paranoid Personality Disorder	F42, F48.1, F60.0, F60.3

Louisiana Medicaid Fee-For-Service Pharmacy Program ICD-10-CM Update for Medications with Point-of-Sale Diagnosis Code Policies Effective 10/01/2015			
Medications Requiring Diagnosis Code(s)		Diagnosis Description	ICD-10 Codes
Generic Name	Brand Name Examples		
Aripiprazole Injection	Abilify® Injection	Agitation in Bipolar Disorder, Agitation in Other Episodic Mood Disorders	F30.*, F31.*, F32.8, F34.8, F34.9, F39
		Agitation in Delusions, Dementia or Psychoses	F01.*, F02.*, F03.*, F04, F05, F06.0, F06.2, F06.30, F06.31, F06.32, F06.33, F06.34, F06.8, F10.150, F10.151, F10.250, F10.251, F10.26, F10.94, F10.950, F10.951, F10.96, F10.97, F11.121, F11.150, F11.151, F11.221, F11.250, F11.251, F11.921, F11.950, F11.951, F12.121, F12.150, F12.151, F12.221, F12.250, F12.251, F12.921, F12.950, F12.951, F13.121, F13.150, F13.151, F13.221, F13.250, F13.251, F13.27, F13.921, F13.950, F13.951, F13.97, F14.121, F14.150, F14.151, F14.221, F14.250, F14.251, F14.921, F14.950, F14.951, F15.121, F15.150, F15.151, F15.221, F15.250, F15.251, F15.921, F15.950, F15.951, F16.121, F16.150, F16.151, F16.221, F16.250, F16.251, F16.921, F16.950, F16.951, F18.121, F18.150, F18.151, F18.17, F18.221, F18.250, F18.251, F18.27, F18.921, F18.950, F18.951, F18.97, F19.121, F19.150, F19.151, F19.17, F19.221, F19.250, F19.251, F19.27, F19.921, F19.950, F19.951, F19.97, F22, F23, F24, F28, F29, F32.3, F33.3, F44.89
		Agitation in Major Depressive Disorder	F32.0, F32.1, F32.2, F32.3, F32.4, F32.5, F32.9, F33.0, F33.1, F33.2, F33.3, F33.40, F33.41, F33.42, F33.8, F33.9
		Agitation in Pervasive Developmental Disorder (PDD)	F84.*
Aripiprazole Injection Suspension	Abilify Maintenance® Injection	Agitation in Schizophrenia or Schizoaffective Disorder	F20.*, F25.*
		Aggression or Irritability in Pervasive Developmental Disorder (PDD)	F84.*
		Delusions, Dementia, Psychoses	F01.*, F02.*, F03.*, F04, F05, F06.0, F06.2, F06.30, F06.31, F06.32, F06.33, F06.34, F06.8, F10.150, F10.151, F10.250, F10.251, F10.26, F10.94, F10.950, F10.951, F10.96, F10.97, F11.121, F11.150, F11.151, F11.221, F11.250, F11.251, F11.921, F11.950, F11.951, F12.121, F12.150, F12.151, F12.221, F12.250, F12.251, F12.921, F12.950, F12.951, F13.121, F13.150, F13.151, F13.221, F13.250, F13.251, F13.27, F13.921, F13.950, F13.951, F13.97, F14.121, F14.150, F14.151, F14.221, F14.250, F14.251, F14.921, F14.950, F14.951, F15.121, F15.150, F15.151, F15.221, F15.250, F15.251, F15.921, F15.950, F15.951, F16.121, F16.150, F16.151, F16.221, F16.250, F16.251, F16.921, F16.950, F16.951, F18.121, F18.150, F18.151, F18.17, F18.221, F18.250, F18.251, F18.27, F18.921, F18.950, F18.951, F18.97, F19.121, F19.150, F19.151, F19.17, F19.221, F19.250, F19.251, F19.27, F19.921, F19.950, F19.951, F19.97, F22, F23, F24, F28, F29, F32.3, F33.3, F44.89
		Psychoses in Bipolar Disorder, Psychoses in Other Episodic Mood Disorders	F30.*, F31.*, F32.8, F34.8, F34.9, F39
		Psychoses in Major Depressive Disorder	F32.0, F32.1, F32.2, F32.3, F32.4, F32.5, F32.9, F33.0, F33.1, F33.2, F33.3, F33.40, F33.41, F33.42, F33.8, F33.9
		Schizophrenia or Schizoaffective Disorder	F20.*, F25.*

Louisiana Medicaid Fee-For-Service Pharmacy Program ICD-10-CM Update for Medications with Point-of-Sale Diagnosis Code Policies Effective 10/01/2015			
Medications Requiring Diagnosis Code(s)		Diagnosis Description	ICD-10 Codes
Generic Name	Brand Name Examples		
Armodafinil	Nuvigil®	Circadian Rhythm Sleep Disorder, Shift Work Type	G47.26
		Narcolepsy	G47.4*
		Obstructive Sleep Apnea	G47.33
Asenapine	Saphris®	Aggression or Irritability in Pervasive Developmental Disorder (PDD)	F84.*
		Bipolar Disorder Manic or Mixed, Psychoses in Bipolar Disorder, Psychoses in Other Episodic Mood Disorders	F30.*, F31.*, F32.8, F34.8, F34.9, F39
			F01.*, F02.*, F03.*, F04, F05, F06.0, F06.2, F06.30, F06.31, F06.32, F06.33, F06.34, F06.8, F10.150, F10.151, F10.250, F10.251, F10.26, F10.94, F10.950, F10.951, F10.96, F10.97, F11.121, F11.150, F11.151, F11.221, F11.250, F11.251, F11.921, F11.950, F11.951, F12.121, F12.150, F12.151, F12.221, F12.250, F12.251, F12.921, F12.950, F12.951, F13.121, F13.150, F13.151, F13.221, F13.250, F13.251, F13.27, F13.921, F13.950, F13.951, F13.97, F14.121, F14.150, F14.151, F14.221, F14.250, F14.251, F14.921, F14.950, F14.951, F15.121, F15.150, F15.151, F15.221, F15.250, F15.251, F15.921, F15.950, F15.951, F16.121, F16.150, F16.151, F16.221, F16.250, F16.251, F16.921, F16.950, F16.951, F18.121, F18.150, F18.151, F18.17, F18.221, F18.250, F18.251, F18.27, F18.921, F18.950, F18.951, F18.97, F19.121, F19.150, F19.151, F19.17, F19.221, F19.250, F19.251, F19.27, F19.921, F19.950, F19.951, F19.97, F22, F23, F24, F28, F29, F32.3, F33.3, F44.89
		Delusions, Dementia, Psychoses	
		Psychoses in Major Depressive Disorder	F32.0, F32.1, F32.2, F32.3, F32.4, F32.5, F32.9, F33.0, F33.1, F33.2, F33.3, F33.40, F33.41, F33.42, F33.8, F33.9
		Schizophrenia or Schizoaffective Disorder	F20.*, F25.*
		Hyperkinetic Syndrome	F90.*
		Cystic Fibrosis with Pseudomonas	E84.*
		Chronic Hepatitis C	B18.2
		Pulmonary Arterial Hypertension	I27.0, I27.2, I27.89, P29.3
		Aggression or Irritability in Pervasive Developmental Disorder (PDD)	F84.*
Brexiprazole	Rexulti®		F01.*, F02.*, F03.*, F04, F05, F06.0, F06.2, F06.30, F06.31, F06.32, F06.33, F06.34, F06.8, F10.150, F10.151, F10.250, F10.251, F10.26, F10.94, F10.950, F10.951, F10.96, F10.97, F11.121, F11.150, F11.151, F11.221, F11.250, F11.251, F11.921, F11.950, F11.951, F12.121, F12.150, F12.151, F12.221, F12.250, F12.251, F12.921, F12.950, F12.951, F13.121, F13.150, F13.151, F13.221, F13.250, F13.251, F13.27, F13.921, F13.950, F13.951, F13.97, F14.121, F14.150, F14.151, F14.221, F14.250, F14.251, F14.921, F14.950, F14.951, F15.121, F15.150, F15.151, F15.221, F15.250, F15.251, F15.921, F15.950, F15.951, F16.121, F16.150, F16.151, F16.221, F16.250, F16.251, F16.921, F16.950, F16.951, F18.121, F18.150, F18.151, F18.17, F18.221, F18.250, F18.251, F18.27, F18.921, F18.950, F18.951, F18.97, F19.121, F19.150, F19.151, F19.17, F19.221, F19.250, F19.251, F19.27, F19.921, F19.950, F19.951, F19.97, F22, F23, F24, F28, F29, F32.3, F33.3, F44.89
		Psychoses in Bipolar Disorder, Psychoses in Other Episodic Mood Disorders	F30.*, F31.*, F32.8, F34.8, F34.9, F39
		Major Depressive Disorder, Psychoses in Major Depressive Disorder	F32.0, F32.1, F32.2, F32.3, F32.4, F32.5, F32.9, F33.0, F33.1, F33.2, F33.3, F33.40, F33.41, F33.42, F33.8, F33.9
		Schizophrenia or Schizoaffective Disorder	F20.*, F25.*

Louisiana Medicaid Fee-For-Service Pharmacy Program ICD-10-CM Update for Medications with Point-of-Sale Diagnosis Code Policies Effective 10/01/2015			
Medications Requiring Diagnosis Code(s)		Diagnosis Description	ICD-10 Codes
Generic Name	Brand Name Examples		
Buprenorphine HCl	Subutex®	Opioid Type Dependence	F11.2*
Buprenorphine HCl / Naloxone HCl	Bunavail®, Suboxone®, Zubsolv®	Opioid Type Dependence	F11.2*
Certolizumab Pegol	Cimzia®	Ankylosing Spondylitis	M08.1, M45.* M48.8*
		Chron's Disease	K50.*
		Psoriatic Arthritis	L40.*
		Rheumatoid Arthritis	M05.*, M06.*, M45.*
Chlorpromazine Oral, Injection		Aggression or Irritability in Pervasive Developmental Disorder (PDD)	F84.*
		Bipolar Mania, Psychoses in Bipolar Disorder, Psychoses in Other Episodic Mood Disorders	F30.*, F31.*, F32.8, F34.8, F34.9, F39
			F01.*, F02.*, F03.*, F04, F05, F06.0, F06.2, F06.30, F06.31, F06.32, F06.33, F06.34, F06.8, F10.150, F10.151, F10.250, F10.251, F10.26, F10.94, F10.950, F10.951, F10.96, F10.97, F11.121, F11.150, F11.151, F11.221, F11.250, F11.251, F11.921, F11.950, F11.951, F12.121, F12.150, F12.151, F12.221, F12.250, F12.251, F12.921, F12.950, F12.951, F13.121, F13.150, F13.151, F13.221, F13.250, F13.251, F13.27, F13.921, F13.950, F13.951, F13.97, F14.121, F14.150, F14.151, F14.221, F14.250, F14.251, F14.921, F14.950, F14.951, F15.121, F15.150, F15.151, F15.221, F15.250, F15.251, F15.921, F15.950, F15.951, F16.121, F16.150, F16.151, F16.221, F16.250, F16.251, F16.921, F16.950, F16.951, F18.121, F18.150, F18.151, F18.17, F18.221, F18.250, F18.251, F18.27, F18.921, F18.950, F18.951, F18.97, F19.121, F19.150, F19.151, F19.17, F19.221, F19.250, F19.251, F19.27, F19.921, F19.950, F19.951, F19.97, F22, F23, F24, F28, F29, F32.3, F33.3, F44.89
		Delusions, Dementia, Psychoses	
		Hiccough	R06.6
		Hyperkinetic Syndrome	F90.*
		Nausea and Vomiting	G43.A0, K91.0, R11.*
		Porphyrria	E80.0, E80.1, E80.20, E80.21, E80.29
		Psychoses in Major Depressive Disorder	F32.0, F32.1, F32.2, F32.3, F32.4, F32.5, F32.9, F33.0, F33.1, F33.2, F33.3, F33.40, F33.41, F33.42, F33.8, F33.9
		Schizophrenia or Schizoaffective Disorder	F20.* F25.*
		Severe Behavioral Problems	F43.24, F63.81, F91.1, F91.8, F91.9
		Tetanus	A35

Louisiana Medicaid Fee-For-Service Pharmacy Program			
ICD-10-CM Update for Medications with Point-of-Sale Diagnosis Code Policies Effective 10/01/2015			
Medications Requiring Diagnosis Code(s)		Diagnosis Description	ICD-10 Codes
Generic Name	Brand Name Examples		
Cimetidine DT	Tagamet® DT	Abscess of Esophagus	K20.8
		Barrett's Esophagus	K22.7*
		Chronic Pancreatitis	K86.0, K86.1
		Chronic Disease	K50.*
		Duodenal Ulcer	K26.*
		Esophagitis, unspecified	K20.9
		Gastric Hyperacidity	K30
		Gastric Ulcer	K25.*
		Gastritis / Duodenitis	K29.*
		Gastroesophageal Reflux Disease (GERD)	K21.9
		Gastrointestinal Hemorrhage	K92.2
		H. Pylori	B96.81
		Malignant Mast Cell Tumors	C96.2
		Multiple Endocrine Adenomas	D44.0, D44.2, D44.9
		Peptic Ulcer	K27.*
		Reflux Esophagitis	K21.0
		Ulcer of Esophagus with OR without Bleeding	K22.1*
		Zollinger-Ellison Syndrome	E16.4
		Convulsions in Newborn	P90
		Epilepsy, Seizures	G40.*
		Other Convulsions	R56.*
		Hyperkinetic Syndrome	F90.*
		Tics / Tourette's Disorder	F95.*, G25.6*
Clonidine ER	Kapvay®	Hyperkinetic Syndrome	F90.*
		Hypertension	I10, I11., I12., I13., I15.*
Clonidine IR	Catapres®, Catapres-TTS®	Hypertension in Congenital Heart Disease	Q20.*, Q21.*, Q22.*, Q23.*, Q24.*, Q25.*, Q26.*, Q27.*, Q28.*
		Tics / Tourette's Disorder	F95.*, G25.6*
Clorazepate QL	Tranxene-T® QL	Convulsions in Newborn	P90
		Epilepsy, Seizures	G40.*
		Other Convulsions	R56.*

Louisiana Medicaid Fee-For-Service Pharmacy Program ICD-10-CM Update for Medications with Point-of-Sale Diagnosis Code Policies Effective 10/01/2015			
Medications Requiring Diagnosis Code(s)		Diagnosis Description	ICD-10 Codes
Generic Name	Brand Name Examples		
Clozapine	Clozaril®, FazaClo®, Versacloz®	Aggression or Irritability in Pervasive Developmental Disorder (PDD)	F84 *
		Delusions, Dementia, Psychoses	F01.*, F02.*, F03.*, F04, F05, F06.0, F06.2, F06.30, F06.31, F06.32, F06.33, F06.34, F06.8, F10.150, F10.151, F10.250, F10.251, F10.26, F10.94, F10.950, F10.951, F10.96, F10.97, F11.121, F11.150, F11.151, F11.221, F11.250, F11.251, F11.921, F11.950, F11.951, F12.121, F12.150, F12.151, F12.221, F12.250, F12.251, F12.921, F12.950, F12.951, F13.121, F13.150, F13.151, F13.221, F13.250, F13.251, F13.27, F13.921, F13.950, F13.951, F13.97, F14.121, F14.150, F14.151, F14.221, F14.250, F14.251, F14.921, F14.950, F14.951, F15.121, F15.150, F15.151, F15.221, F15.250, F15.251, F15.921, F15.950, F15.951, F16.121, F16.150, F16.151, F16.221, F16.250, F16.251, F16.921, F16.950, F16.951, F18.121, F18.150, F18.151, F18.17, F18.221, F18.250, F18.251, F18.27, F18.921, F18.950, F18.951, F18.97, F19.121, F19.150, F19.151, F19.17, F19.221, F19.250, F19.251, F19.27, F19.921, F19.950, F19.951, F19.97, F22, F23, F24, F28, F29, F32.3, F33.3, F44.89
Deferastrox (2 to 9 years of age)	Exjade®, Jadenu® (2 to 9 years of age)	Psychoses in Bipolar Disorder, Psychoses in Other Episodic Mood Disorders	F30.*, F31.*, F32.8, F34.8, F34.9, F39
		Psychoses in Major Depressive Disorder	F32.0, F32.1, F32.2, F32.3, F32.4, F32.5, F32.9, F33.0, F33.1, F33.2, F33.3, F33.40, F33.41, F33.42, F33.8, F33.9
		Schizophrenia / Recurrent Suicidal Behavior in Schizophrenia or in Schizoaffective Disorder	F20.*, F25 *
		Chronic Iron Overload Due to Blood Transfusions	E83.111
		Chronic Iron Overload Due to Blood Transfusions	E83.111
Deferastrox (10 years of age and older)	Exjade®, Jadenu® (10 years of age and older)	Hemoglobin C/β-Thalassemia	D56.8
		Hemoglobin E/β-Thalassemia	D56.5
		Hemoglobin S/β-Thalassemia	D57.4*
		α-Thalassemia Intermedia [Hemoglobin H Disease]	D56.0
		β-Thalassemia Intermedia	D56.1

Louisiana Medicaid Fee-For-Service Pharmacy Program ICD-10-CM Update for Medications with Point-of-Sale Diagnosis Code Policies Effective 10/01/2015			
Medications Requiring Diagnosis Code(s)		Diagnosis Description	ICD-10 Codes
Generic Name	Brand Name Examples		
Dexlansoprazole DT	Dexlant® DT	Abscess of Esophagus	K20.8
		Angiodysplasia of Stomach and Duodenum with OR without Mention of Hemorrhage	K31.81*
		Atrophic Gastritis with Hemorrhage	K29.41
		Barrett's Esophagus	K22.7*
		Chronic Pancreatitis	K86.0, K86.1
		Congenital Tracheoesophageal Fistula	Q39.1, Q39.2
		Cystic Fibrosis	E84.*
		Eosinophilic Esophagitis	K20.0
		Eosinophilic Gastritis	K52.81
		Gastrointestinal Hemorrhage	K92.2
		Gastrointestinal Mucositis (Ulcerative)	K92.81
		Malignant Mast Cell Tumors	C96.2
		Multiple Endocrine Adenomas	D44.0, D44.2, D44.9
		Tracheoesophageal Fistula	J86.0
		Ulcer of Esophagus with OR without Bleeding	K22.1*
		Zollinger-Ellison Syndrome	E16.4
		Cancer-Related Fatigue	R53.0
		Hyperkinetic Syndrome	F90.*
		Hyperkinetic Syndrome	F90.*
		Narcolepsy	G47.4*
Diazepam QL	Valium® QL	Hyperkinetic Syndrome	F90.*
		Hyperkinetic Syndrome	F90.*
		Narcolepsy	G47.4*
		Narcolepsy	G47.4*
		Convulsions in Newborn	P90
		Epilepsy, Seizures	G40.*
		Other Convulsions	R56.*
		Multiple Sclerosis (Relapsing)	G35
		Cystic Fibrosis	E84.*
		Pulmonary Arterial Hypertension	I27.0, I27.2, I27.89, P29.3
Esomeprazole DT	Nexium® DT	Abscess of Esophagus	K20.8
		Angiodysplasia of Stomach and Duodenum with OR without Mention of Hemorrhage	K31.81*
		Atrophic Gastritis with Hemorrhage	K29.41
		Barrett's Esophagus	K22.7*
		Chronic Pancreatitis	K86.0, K86.1
		Congenital Tracheoesophageal Fistula	Q39.1, Q39.2
		Cystic Fibrosis	E84.*
		Eosinophilic Esophagitis	K20.0
		Eosinophilic Gastritis	K52.81
		Gastrointestinal Hemorrhage	K92.2
		Gastrointestinal Mucositis (Ulcerative)	K92.81
		Malignant Mast Cell Tumors	C96.2
		Multiple Endocrine Adenomas	D44.0, D44.2, D44.9
		Tracheoesophageal Fistula	J86.0
		Ulcer of Esophagus with OR without Bleeding	K22.1*
		Zollinger-Ellison Syndrome	E16.4

Louisiana Medicaid Fee-For-Service Pharmacy Program ICD-10-CM Update for Medications with Point-of-Sale Diagnosis Code Policies Effective 10/01/2015			
Medications Requiring Diagnosis Code(s)		Diagnosis Description	ICD-10 Codes
Generic Name	Brand Name Examples		
Etanercept	Enbrel®	Ankylosing Spondylitis Polyarticular Juvenile Idiopathic Arthritis Psoriatic Arthritis Rheumatoid Arthritis Abscess of Esophagus Barrett's Esophagus Chronic Pancreatitis Chron's Disease Duodenal Ulcer Esophagitis, unspecified Gastric Hyperacidity Gastric Ulcer Gastritis / Duodenitis Gastroesophageal Reflux Disease (GERD) Gastrointestinal Hemorrhage H. Pylori Malignant Mast Cell Tumors Multiple Endocrine Adenomas Peptic Ulcer Reflux Esophagitis Ulcer of Esophagus with OR without Bleeding Zollinger-Ellison Syndrome	M08.1, M45.* M48.8* M08.0*, M08.2*, M08.3, M08.8*, M08.9* L40.* M05.* M06.* M45.* K20.8 K22.7* K86.0, K86.1 K50.* K26.* K20.9 K30 K25.* K29.* K21.9 K92.2 B96.81 C96.2 D44.0, D44.2, D44.9 K27.* K21.0 K22.1* E16.4
Famotidine DT	Pepcid® DT		
Fentanyl Buccal/Sublingual	Abstral®, Actiq®, Fentora®, Lazanda®, Subsys®	Cancer	C00.*-C96.*
Fingolimod HCl	Gilenya®	Multiple Sclerosis (Relapsing)	G35
		Aggression or Irritability in Pervasive Developmental Disorder (PDD)	F84.*
Fluphenazine Oral, Injection, Decanoate Injection		Delusions, Dementia, Psychoses	F01.* F02.* F03.* F04, F05, F06.0, F06.2, F06.30, F06.31, F06.32, F06.33, F06.34, F06.8, F10.150, F10.151, F10.250, F10.251, F10.26, F10.94, F10.950, F10.951, F10.96, F10.97, F11.121, F11.150, F11.151, F11.221, F11.250, F11.251, F11.921, F11.950, F11.951, F12.121, F12.150, F12.151, F12.221, F12.250, F12.251, F12.921, F12.950, F12.951, F13.121, F13.150, F13.151, F13.221, F13.250, F13.251, F13.27, F13.921, F13.950, F13.951, F13.97, F14.121, F14.150, F14.151, F14.221, F14.250, F14.251, F14.921, F14.950, F14.951, F15.121, F15.150, F15.151, F15.221, F15.250, F15.251, F15.921, F15.950, F15.951, F16.121, F16.150, F16.151, F16.221, F16.250, F16.251, F16.921, F16.950, F16.951, F18.121, F18.150, F18.151, F18.17, F18.221, F18.250, F18.251, F18.27, F18.921, F18.950, F18.951, F18.97, F19.121, F19.150, F19.151, F19.17, F19.221, F19.250, F19.251, F19.27, F19.921, F19.950, F19.951, F19.97, F22, F23, F24, F28, F29, F32.3, F33.3, F44.89
		Psychoses in Bipolar Disorder, Psychoses in Other Episodic Mood Disorders	F30.* F31.* F32.8, F34.8, F34.9, F39
		Psychoses in Major Depressive Disorder	F32.0, F32.1, F32.2, F32.3, F32.4, F32.5, F32.9, F33.0, F33.1, F33.2, F33.3, F33.40, F33.41, F33.42, F33.8, F33.9
		Schizophrenia or Schizoaffective Disorder	F20.* F25.*

Louisiana Medicaid Fee-For-Service Pharmacy Program ICD-10-CM Update for Medications with Point-of-Sale Diagnosis Code Policies Effective 10/01/2015			
Medications Requiring Diagnosis Code(s)		Diagnosis Description	ICD-10 Codes
Generic Name	Brand Name Examples		
Glaxofran Acetate	Copaxone®	Multiple Sclerosis (Relapsing)	G35
Golimimab	Simpsoni Aria® IV	Rheumatoid Arthritis	M05.* M06.* M45.*
		Ankylosing Spondylitis	M08.1, M45.* M48.8*
Golimimab	Simpsoni® SC	Psoriatic Arthritis	L40.*
		Rheumatoid Arthritis	M05.* M06.* M45.*
		Ulcerative Colitis	K51.*
Goserelin Acetate (1 month)	Zoladex® 3.6mg	Breast Cancer (Female)	C50.*1*
		Dysfunctional Uterine Bleeding	N89.7, N92.5, N93.8
		Endometriosis	N80.*
Goserelin Acetate (3 month)	Zoladex® 10.8mg	Prostate Cancer	C61
		Hyperkinetic Syndrome	F90.*
Guanfacine IR	Tenex®	Hypertension	I10, I11.* I12.* I13.* I15.*
		Hypertension in Congenital Heart Disease	Q20.* Q21.* Q22.* Q23.* Q24.* Q25.* Q26.* Q27.* Q28.*
		Tics / Tourette's Disorder	F95.* G25.6*
Guanfacine ER	Intuniv®	Hyperkinetic Syndrome	F90.*
		Tics / Tourette's Disorder	F95.* G25.6*
		Aggression or Irritability in Pervasive Developmental Disorder (PDD)	F84.*
			F01.* F02.* F03.* F04.* F05.* F06.0, F06.2, F06.30, F06.31, F06.32, F06.33, F06.34, F06.8, F10.150, F10.151, F10.250, F10.251, F10.26, F10.94, F10.950, F10.951, F10.96, F10.97, F11.121, F11.150, F11.151, F11.221, F11.250, F11.251, F11.921, F11.950, F11.951, F12.121, F12.150, F12.151, F12.221, F12.250, F12.251, F12.921, F12.950, F12.951, F13.121, F13.150, F13.151, F13.221, F13.250, F13.251, F13.27, F13.921, F13.950, F13.951, F13.97, F14.121, F14.150, F14.151, F14.221, F14.250, F14.251, F14.921, F14.950, F14.951, F15.121, F15.150, F15.151, F15.221, F15.250, F15.251, F15.921, F15.950, F15.951, F16.121, F16.150, F16.151, F16.221, F16.250, F16.251, F16.921, F16.950, F16.951, F18.121, F18.150, F18.151, F18.17, F18.221, F18.250, F18.251, F18.27, F18.921, F18.950, F18.951, F18.97, F19.121, F19.150, F19.151, F19.17, F19.221, F19.250, F19.251, F19.27, F19.921, F19.950, F19.951, F19.97, F22, F23, F24, F28, F29, F32.3, F33.3, F44.89
Haloperidol Oral	Haldol® Oral	Delusions, Dementia, Psychoses	
		Hyperkinetic Syndrome	F90.*
		Psychoses in Bipolar Disorder, Psychoses in Other Episodic Mood Disorders	F30.* F31.* F32.8, F34.8, F34.9, F39
		Psychoses in Major Depressive Disorder	F32.0, F32.1, F32.2, F32.3, F32.4, F32.5, F32.9, F33.0, F33.1, F33.2, F33.3, F33.40, F33.41, F33.42, F33.8, F33.9
		Schizophrenia or Schizoaffective Disorder	F20.* F25.*
		Severe Behavioral Problems	F43.24, F63.81, F91.1, F91.8, F91.9
		Tics/Tourette's Disorder	F95.* G25.6*

Louisiana Medicaid Fee-For-Service Pharmacy Program ICD-10-CM Update for Medications with Point-of-Sale Diagnosis Code Policies Effective 10/01/2015			
Medications Requiring Diagnosis Code(s)		Diagnosis Description	ICD-10 Codes
Generic Name	Brand Name Examples		
Haloperidol Lactate Injection	Haldol® Lactate Injection	Aggression or Irritability in Pervasive Developmental Disorder (PDD)	F84 *
		Delusions, Dementia, Psychoses	F01.*, F02.*, F03.*, F04, F05, F06.0, F06.2, F06.30, F06.31, F06.32, F06.33, F06.34, F06.8, F10.150, F10.151, F10.250, F10.251, F10.26, F10.94, F10.950, F10.951, F10.96, F10.97, F11.121, F11.150, F11.151, F11.221, F11.250, F11.251, F11.921, F11.950, F11.951, F12.121, F12.150, F12.151, F12.221, F12.250, F12.251, F12.921, F12.950, F12.951, F13.121, F13.150, F13.151, F13.221, F13.250, F13.251, F13.27, F13.921, F13.950, F13.951, F13.97, F14.121, F14.150, F14.151, F14.221, F14.250, F14.251, F14.921, F14.950, F14.951, F15.121, F15.150, F15.151, F15.221, F15.250, F15.251, F15.921, F15.950, F15.951, F16.121, F16.150, F16.151, F16.221, F16.250, F16.251, F16.921, F16.950, F16.951, F18.121, F18.150, F18.151, F18.17, F18.221, F18.250, F18.251, F18.27, F18.921, F18.950, F18.951, F18.97, F19.121, F19.150, F19.151, F19.17, F19.221, F19.250, F19.251, F19.27, F19.921, F19.950, F19.951, F19.97, F22, F23, F24, F28, F29, F32.3, F33.3, F44.89
		Psychoses in Bipolar Disorder, Psychoses in Other Episodic Mood Disorders	F30.*, F31.*, F32.8, F34.8, F34.9, F39
		Psychoses in Major Depressive Disorder	F32.0, F32.1, F32.2, F32.3, F32.4, F32.5, F32.9, F33.0, F33.1, F33.2, F33.3, F33.40, F33.41, F33.42, F33.8, F33.9
		Schizophrenia or Schizoaffective Disorder	F20.*, F25.*
Haloperidol Decanoate Injection	Haldol® Decanoate Injection	Tics/Tourette's Disorder	F95.*, G25.6*
		Aggression or Irritability in Pervasive Developmental Disorder (PDD)	F84 *
		Delusions, Dementia, Psychoses	F01.*, F02.*, F03.*, F04, F05, F06.0, F06.2, F06.30, F06.31, F06.32, F06.33, F06.34, F06.8, F10.150, F10.151, F10.250, F10.251, F10.26, F10.94, F10.950, F10.951, F10.96, F10.97, F11.121, F11.150, F11.151, F11.221, F11.250, F11.251, F11.921, F11.950, F11.951, F12.121, F12.150, F12.151, F12.221, F12.250, F12.251, F12.921, F12.950, F12.951, F13.121, F13.150, F13.151, F13.221, F13.250, F13.251, F13.27, F13.921, F13.950, F13.951, F13.97, F14.121, F14.150, F14.151, F14.221, F14.250, F14.251, F14.921, F14.950, F14.951, F15.121, F15.150, F15.151, F15.221, F15.250, F15.251, F15.921, F15.950, F15.951, F16.121, F16.150, F16.151, F16.221, F16.250, F16.251, F16.921, F16.950, F16.951, F18.121, F18.150, F18.151, F18.17, F18.221, F18.250, F18.251, F18.27, F18.921, F18.950, F18.951, F18.97, F19.121, F19.150, F19.151, F19.17, F19.221, F19.250, F19.251, F19.27, F19.921, F19.950, F19.951, F19.97, F22, F23, F24, F28, F29, F32.3, F33.3, F44.89
		Psychoses in Bipolar Disorder, Psychoses in Other Episodic Mood Disorders	F30.*, F31.*, F32.8, F34.8, F34.9, F39
		Psychoses in Major Depressive Disorder	F32.0, F32.1, F32.2, F32.3, F32.4, F32.5, F32.9, F33.0, F33.1, F33.2, F33.3, F33.40, F33.41, F33.42, F33.8, F33.9
		Schizophrenia or Schizoaffective Disorder	F20.*, F25.*

Louisiana Medicaid Fee-For-Service Pharmacy Program			
ICD-10-CM Update for Medications with Point-of-Sale Diagnosis Code Policies Effective 10/01/2015			
Medications Requiring Diagnosis Code(s)	Brand Name Examples	Diagnosis Description	ICD-10 Codes
Isirelin Acetate (Supprelin LA®)	Supprelin LA®	Central Precocious Puberty	E30.1, E30.8
Isirelin Acetate (Vantas®)	Vantas®	Prostate Cancer	C61
Hydrocodone-Acetaminophen QL	Lorcet® QL, Lortab® QL, Norco® QL, Vicodin® QL, Xodol® QL	Cancer	C00.*-C96.*
Hydroxyprogesterone	Makena®	Sickle Cell	D57.0-D57.219, D57.8*
		Pregnancy with History of Preterm-Labor	O09.21*
		Aggression or Irritability in Pervasive Developmental Disorder (PDD)	F84.*
			F01.*, F02.*, F03.*, F04, F05, F06.0, F06.2, F06.30, F06.31, F06.32, F06.33, F06.34, F06.8, F10.150, F10.151, F10.250, F10.251, F10.26, F10.94, F10.950, F10.951, F10.96, F10.97, F11.121, F11.150, F11.151, F11.221, F11.250, F11.251, F11.921, F11.950, F11.951, F12.121, F12.150, F12.151, F12.221, F12.250, F12.251, F12.921, F12.950, F12.951, F13.121, F13.150, F13.151, F13.221, F13.250, F13.251, F13.27, F13.921, F13.950, F13.951, F13.97, F14.121, F14.150, F14.151, F14.221, F14.250, F14.251, F14.921, F14.950, F14.951, F15.121, F15.150, F15.151, F15.221, F15.250, F15.251, F15.921, F15.950, F15.951, F16.121, F16.150, F16.151, F16.221, F16.250, F16.251, F16.921, F16.950, F16.951, F18.121, F18.150, F18.151, F18.17, F18.221, F18.250, F18.251, F18.27, F18.921, F18.950, F18.951, F18.97, F19.121, F19.150, F19.151, F19.17, F19.221, F19.250, F19.251, F19.27, F19.921, F19.950, F19.951, F19.97, F22, F23, F24, F28, F29, F32.3, F33.3, F44.89
	Fanap®	Delusions, Dementia, Psychoses	
		Psychoses in Bipolar Disorder, Psychoses in Other Episodic Mood Disorders	F30.*, F31.*, F32.8, F34.8, F34.9, F39
		Psychoses in Major Depressive Disorder	F32.0, F32.1, F32.2, F32.3, F32.4, F32.5, F32.9, F33.0, F33.1, F33.2, F33.3, F33.40, F33.41, F33.42, F33.8, F33.9
		Schizophrenia or Schizoaffective Disorder	F20.*, F25.*
		Pulmonary Arterial Hypertension	I27.0, I27.2, I27.89, P29.3
	Ventavis®	Actinic Keratosis	L57.0
	Zyclara® 2.5%	Actinic Keratosis	L57.0
	Zyclara® 3.75%	External Genital Warts (Condylomata Acuminata)	A63.0
		Actinic Keratosis	L57.0
		External Genital Warts (Condylomata Acuminata)	A63.0
	Aldara® 5%	Superficial Basal Cell Carcinoma	C44.*1*
		Blepharospasm	G24.5
	Xeomin®	Cervical Dystonia	G24.3

Louisiana Medicaid Fee-For-Service Pharmacy Program ICD-10-CM Update for Medications with Point-of-Sale Diagnosis Code Policies Effective 10/01/2015			
Medications Requiring Diagnosis Code(s)		Diagnosis Description	ICD-10 Codes
Generic Name	Brand Name Examples		
Infliximab	Remicade®	Ankylosing Spondylitis	M08.1, M45.*, M48.8*
		Chronic Disease	K50.*
		Psoriatic Arthritis	L40.*
		Rheumatoid Arthritis	M05.*, M06.*, M45.*
		Ulcerative Colitis	K51.*
Interferon Alfa-2B Recomb	Intron A®	AIDS-Related Kaposi's Sarcoma	C46.*
		Chronic Hepatitis B	B18.0, B18.1
		Chronic Hepatitis C	B18.2
		Follicular Lymphoma	C82.*
		Hairy Cell Leukemia	C91.4*
		Melanoma	C43.*
		External Genital Warts (Condylomata Acuminata)	A63.0
Interferon Alfa-N3	Alferon N®	Multiple Sclerosis (Relapsing)	G35
Interferon Beta-1A	Avonex®, Rebif®	Multiple Sclerosis (Relapsing)	G35
Interferon Beta-1B	Betaseron®, Extavia®	Multiple Sclerosis (Relapsing)	G35
Interferon Gamma-1B	Actimmune®	Chronic Granulomatous Disease	D71
Ivacaftor	Kalydeco®	Malignant Osteopetrosis	Q78.2
		Cystic Fibrosis	E84.*
Lansoprazole DT	Prevacid® DT	Abscess of Esophagus	K20.8
		Angiodysplasia of Stomach and Duodenum with OR without Mention of Hemorrhage	K31.81*
		Atrophic Gastritis with Hemorrhage	K29.41
		Barrett's Esophagus	K22.7*
		Chronic Pancreatitis	K86.0, K86.1
		Congenital Tracheoesophageal Fistula	Q39.1, Q39.2
		Cystic Fibrosis	E84.*
		Eosinophilic Esophagitis	K20.0
		Eosinophilic Gastritis	K52.81
		Gastrointestinal Hemorrhage	K92.2
		Gastrointestinal Mucositis (Ulcerative)	K92.81
		Malignant Mast Cell Tumors	C96.2
		Multiple Endocrine Adenomas	D44.0, D44.2, D44.9
		Tracheoesophageal Fistula	J86.0
		Ulcer of Esophagus with OR without Bleeding	K22.1*
		Zollinger-Ellison Syndrome	E16.4
Ledipasvir/Sofosbuvir	Harvoni®	Chronic Hepatitis C	B18.2
Lenalidomide	Revlimid®	Mantle Cell Lymphoma	C83.1*
		Multiple Myeloma	C90.0*
Leuprolide Acetate	Lupron®	Myelodysplastic Syndrome (MDS) with 5q Deletion	D46.C
		Central Precocious Puberty	E30.1, E30.8
Leuprolide Acetate	Lupron Depot-Ped®	Prostate Cancer	C61
		Central Precocious Puberty	E30.1, E30.8

Louisiana Medicaid Fee-For-Service Pharmacy Program ICD-10-CM Update for Medications with Point-of-Sale Diagnosis Code Policies Effective 10/01/2015			
Medications Requiring Diagnosis Code(s)		Diagnosis Description	ICD-10 Codes
Generic Name	Brand Name Examples		
Leuprolide Acetate 3.75mg, 11.25mg [3 month]	Lupron Depot® 3.75mg, 11.25mg [3 month]	Endometriosis	N80.*
		Uterine Leiomyoma	D25.*
Leuprolide Acetate 7.5mg, 22.5mg [3 month], 30mg [4 month], 45mg [6 month]	Eligard® Lupron Depot® 7.5mg, 22.5mg [3 month], 30mg [4 month], 45mg [6 month]	Prostate Cancer	C61
Levalbuterol QL	Xopenex HFA® QL	Bronchitis, not specified	J40
		Chronic Airway Obstruction	J44.9
		Cystic Fibrosis	E84.*
		Emphysema	J43.*
		Obstructive Chronic Bronchitis, Chronic Obstructive Asthma	J44.*
Lisdexamfetamine	Vyvanse®	Hyperkinetic Syndrome	F90.*
		Agitation in Bipolar Disorder, Agitation in Other Episodic Mood Disorders	F30.*, F31.*, F32.8, F34.8, F34.9, F39
			F01.*, F02.*, F03.*, F04, F05, F06.0, F06.2, F06.30, F06.31, F06.32, F06.33, F06.34, F06.8, F10.150, F10.151, F10.250, F10.251, F10.26, F10.94, F10.950, F10.951, F10.96, F10.97, F11.121, F11.150, F11.151, F11.221, F11.250, F11.251, F11.921, F11.950, F11.951, F12.121, F12.150, F12.151, F12.221, F12.250, F12.251, F12.921, F12.950, F12.951, F13.121, F13.150, F13.151, F13.221, F13.250, F13.251, F13.27, F13.921, F13.950, F13.951, F13.97, F14.121, F14.150, F14.151, F14.221, F14.250, F14.251, F14.921, F14.950, F14.951, F15.121, F15.150, F15.151, F15.221, F15.250, F15.251, F15.921, F15.950, F15.951, F16.121, F16.150, F16.151, F16.221, F16.250, F16.251, F16.921, F16.950, F16.951, F18.121, F18.150, F18.151, F18.17, F18.221, F18.250, F18.251, F18.27, F18.921, F18.950, F18.951, F18.97, F19.121, F19.150, F19.151, F19.17, F19.221, F19.250, F19.251, F19.27, F19.921, F19.950, F19.951, F19.97, F22, F23, F24, F28, F29, F32.3, F33.3, F44.89
			F32.0, F32.1, F32.2, F32.3, F32.4, F32.5, F32.9, F33.0, F33.1, F33.2, F33.3, F33.40, F33.41, F33.42, F33.8, F33.9
			F84.*
Loxapine, Breath Activated Aerosol Powder	Adasuve®	Agitation in Major Depressive Disorder	F20.*, F25.*
		Agitation in Pervasive Developmental Disorder (PDD)	
		Agitation in Schizophrenia or Schizoaffective Disorder	

Louisiana Medicaid Fee-For-Service Pharmacy Program			
ICD-10-CM Update for Medications with Point-of-Sale Diagnosis Code Policies Effective 10/01/2015			
Medications Requiring Diagnosis Code(s)	Brand Name Examples	Diagnosis Description	ICD-10 Codes
Lorazepam, Capsule		Aggression or Irritability in Pervasive Developmental Disorder (PDD)	F84.*
			F01.*, F02.*, F03.*, F04., F05., F06.0, F06.2, F06.30, F06.31, F06.32, F06.33, F06.34, F06.8, F10.150, F10.151, F10.250, F10.251, F10.26, F10.94, F10.950, F10.951, F10.96, F10.97, F11.121, F11.150, F11.151, F11.221, F11.250, F11.251, F11.921, F11.950, F11.951, F12.121, F12.150, F12.151, F12.221, F12.250, F12.251, F12.921, F12.950, F12.951, F13.121, F13.150, F13.151, F13.221, F13.250, F13.251, F13.27, F13.921, F13.950, F13.951, F13.97, F14.121, F14.150, F14.151, F14.221, F14.250, F14.251, F14.921, F14.950, F14.951, F15.121, F15.150, F15.151, F15.221, F15.250, F15.251, F15.921, F15.950, F15.951, F16.121, F16.150, F16.151, F16.221, F16.250, F16.251, F16.921, F16.950, F16.951, F18.121, F18.150, F18.151, F18.17, F18.221, F18.250, F18.251, F18.27, F18.921, F18.950, F18.951, F18.97, F19.121, F19.150, F19.151, F19.17, F19.221, F19.250, F19.251, F19.27, F19.921, F19.950, F19.951, F19.97, F22, F23, F24, F28, F29, F32.3, F33.3, F44.89
		Psychoses in Bipolar Disorder, Psychoses in Other Episodic Mood Disorders	F30.*, F31.*, F32.8, F34.8, F34.9, F39
		Psychoses in Major Depressive Disorder	F32.0, F32.1, F32.2, F32.3, F32.4, F32.5, F32.9, F33.0, F33.1, F33.2, F33.3, F33.40, F33.41, F33.42, F33.8, F33.9
		Schizophrenia or Schizoaffective Disorder	F20.*, F25.*
Lurasidone	Latuda®	Aggression or Irritability in Pervasive Developmental Disorder (PDD)	F84.*
		Bipolar Depression, Psychoses in Bipolar Disorder, Psychoses in Other Episodic Mood Disorders	F30.*, F31.*, F32.8, F34.8, F34.9, F39
			F01.*, F02.*, F03.*, F04., F05., F06.0, F06.2, F06.30, F06.31, F06.32, F06.33, F06.34, F06.8, F10.150, F10.151, F10.250, F10.251, F10.26, F10.94, F10.950, F10.951, F10.96, F10.97, F11.121, F11.150, F11.151, F11.221, F11.250, F11.251, F11.921, F11.950, F11.951, F12.121, F12.150, F12.151, F12.221, F12.250, F12.251, F12.921, F12.950, F12.951, F13.121, F13.150, F13.151, F13.221, F13.250, F13.251, F13.27, F13.921, F13.950, F13.951, F13.97, F14.121, F14.150, F14.151, F14.221, F14.250, F14.251, F14.921, F14.950, F14.951, F15.121, F15.150, F15.151, F15.221, F15.250, F15.251, F15.921, F15.950, F15.951, F16.121, F16.150, F16.151, F16.221, F16.250, F16.251, F16.921, F16.950, F16.951, F18.121, F18.150, F18.151, F18.17, F18.221, F18.250, F18.251, F18.27, F18.921, F18.950, F18.951, F18.97, F19.121, F19.150, F19.151, F19.17, F19.221, F19.250, F19.251, F19.27, F19.921, F19.950, F19.951, F19.97, F22, F23, F24, F28, F29, F32.3, F33.3, F44.89
		Psychoses in Major Depressive Disorder	F32.0, F32.1, F32.2, F32.3, F32.4, F32.5, F32.9, F33.0, F33.1, F33.2, F33.3, F33.40, F33.41, F33.42, F33.8, F33.9
		Schizophrenia or Schizoaffective Disorder	F20.*, F25.*
Macitentan	Opsumit®	Pulmonary Arterial Hypertension	I27.0, I27.2, I27.89, P29.3

Louisiana Medicaid Fee-For-Service Pharmacy Program ICD-10-CM Update for Medications with Point-of-Sale Diagnosis Code Policies Effective 10/01/2015			
Medications Requiring Diagnosis Code(s)		Diagnosis Description	ICD-10 Codes
Generic Name	Brand Name Examples		
Methylphenidate ER	Aptensio XR®, Concerta®, Metadate CD®, Metadate ER®, Quilivant XR®, Ritalin LA®, Ritalin SR®	Cancer-Related Fatigue	R53.0
		Hyperkinetic Syndrome	F90.*
		Narcolepsy	G47.4*
		Cancer-Related Fatigue	R53.0
Methylphenidate Patch	Daytrana®	Hyperkinetic Syndrome	F90.*
		Narcolepsy	G47.4*
Methylphenidate	Methylphenidate, Ritalin®	Cancer-Related Fatigue	R53.0
		Hyperkinetic Syndrome	F90.*
		Narcolepsy	G47.4*
		Circadian Rhythm Sleep Disorder, Shift Work Type	G47.26
Modafinil	Provigil®	Narcolepsy	G47.4*
		Obstructive Sleep Apnea	G47.33
Nafarelin Acetate	Synarel®	Central Precocious Puberty	E30.1, E30.8
		Endometriosis	N80.*
Natalizumab	Tysabri®	Chronic Disease	K50.*
		Multiple Sclerosis (Relapsing)	G35
		Abscess of Esophagus	K20.8
Nizatidine DT	AxiD® DT	Barrett's Esophagus	K22.7*
		Chronic Pancreatitis	K86.0, K86.1
		Chronic Disease	K50.*
		Duodenal Ulcer	K26.*
		Esophagitis, unspecified	K20.9
		Gastric Hyperacidity	K30
		Gastric Ulcer	K25.*
		Gastritis / Duodenitis	K29.*
		Gastroesophageal Reflux Disease (GERD)	K21.9
		Gastrointestinal Hemorrhage	K92.2
		H. Pylori	B96.81
		C96.2	C96.2
		Malignant Mast Cell Tumors	D44.0, D44.2, D44.9
		Multiple Endocrine Adenomas	D44.0, D44.2, D44.9
		Peptic Ulcer	K27.*
		Reflux Esophagitis	K21.0
		Ulcer of Esophagus with OR without Bleeding	K22.1*
		Zollinger-Ellison Syndrome	E16.4

Louisiana Medicaid Fee-For-Service Pharmacy Program ICD-10-CM Update for Medications with Point-of-Sale Diagnosis Code Policies Effective 10/01/2015			
Medications Requiring Diagnosis Code(s)		Diagnosis Description	ICD-10 Codes
Generic Name	Brand Name Examples		
Olanzapine Oral	Zyprexa® Oral	Aggression or Irritability in Pervasive Developmental Disorder (PDD)	F84.*
		Aggression in Conduct Disorder, Disruptive Behavior Disorder, Explosive Personality Disorder, Impulse Control Disorder, Intermittent Explosive Disorder, Isolated Explosive Disorder, Pervasive Developmental Disorder, or Unsocialized Aggression	F60.3, F63.3, F63.8*, F63.9, F84.*, F91.1, F91.8, F91.9
		Bipolar Disorder, Psychoses in Bipolar Disorder, Psychoses in Other Episodic Mood Disorders	F30.*, F31.*, F32.8, F34.8, F34.9, F39
		Delusions, Dementia, Psychoses	F01.*, F02.*, F03.*, F04, F05, F06.0, F06.2, F06.30, F06.31, F06.32, F06.33, F06.34, F06.8, F10.150, F10.151, F10.250, F10.251, F10.26, F10.94, F10.950, F10.951, F10.96, F10.97, F11.121, F11.150, F11.151, F11.221, F11.250, F11.251, F11.921, F11.950, F11.951, F12.121, F12.150, F12.151, F12.221, F12.250, F12.251, F12.921, F12.950, F12.951, F13.121, F13.150, F13.151, F13.221, F13.250, F13.251, F13.27, F13.921, F13.950, F13.951, F13.97, F14.121, F14.150, F14.151, F14.221, F14.250, F14.251, F14.921, F14.950, F14.951, F15.121, F15.150, F15.151, F15.221, F15.250, F15.251, F15.921, F15.950, F15.951, F16.121, F16.150, F16.151, F16.221, F16.250, F16.251, F16.921, F16.950, F16.951, F18.121, F18.150, F18.151, F18.17, F18.221, F18.250, F18.251, F18.27, F18.921, F18.950, F18.951, F18.97, F19.121, F19.150, F19.151, F19.17, F19.221, F19.250, F19.251, F19.27, F19.921, F19.950, F19.951, F19.97, F22, F23, F24, F28, F29, F32.3, F33.3, F44.89
		Psychoses in Major Depressive Disorder	F32.0, F32.1, F32.2, F32.3, F32.4, F32.5, F32.9, F33.0, F33.1, F33.2, F33.3, F33.40, F33.41, F33.42, F33.8, F33.9
		Schizophrenia or Schizoaffective Disorder Additional Covered Codes: Borderline Personality Disorder, Depersonalization Disorder, Obsessive-Compulsive Disorder, Paranoid Personality Disorder	F20.*, F25.* F42, F48.1, F60.0, F60.3

Louisiana Medicaid Fee-For-Service Pharmacy Program ICD-10-CM Update for Medications with Point-of-Sale Diagnosis Code Policies Effective 10/01/2015			
Medications Requiring Diagnosis Code(s)		Diagnosis Description	ICD-10 Codes
Generic Name	Brand Name Examples		
Olanzapine Injection	Zyprexa® Injection	Agitation in Bipolar Mania, Agitation in Bipolar Disorder, Agitation in Other Episodic Mood Disorders	F30.* , F31.* , F32.8 , F34.8 , F34.9 , F39
		Agitation in Delusions, Dementia or Psychoses	F01.* , F02.* , F03.* , F04 , F05 , F06.0 , F06.2 , F06.30 , F06.31 , F06.32 , F06.33 , F06.34 , F06.8 , F10.150 , F10.151 , F10.250 , F10.251 , F10.26 , F10.94 , F10.950 , F10.951 , F10.96 , F10.97 , F11.121 , F11.150 , F11.151 , F11.221 , F11.250 , F11.251 , F11.921 , F11.950 , F11.951 , F12.121 , F12.150 , F12.151 , F12.221 , F12.250 , F12.251 , F12.921 , F12.950 , F12.951 , F13.121 , F13.150 , F13.151 , F13.221 , F13.250 , F13.251 , F13.27 , F13.921 , F13.950 , F13.951 , F13.97 , F14.121 , F14.150 , F14.151 , F14.221 , F14.250 , F14.251 , F14.921 , F14.950 , F14.951 , F15.121 , F15.150 , F15.151 , F15.221 , F15.250 , F15.251 , F15.921 , F15.950 , F15.951 , F16.121 , F16.150 , F16.151 , F16.221 , F16.250 , F16.251 , F16.921 , F16.950 , F16.951 , F18.121 , F18.150 , F18.151 , F18.221 , F18.250 , F18.251 , F18.27 , F18.921 , F18.950 , F18.951 , F18.97 , F19.121 , F19.150 , F19.151 , F19.17 , F19.221 , F19.250 , F19.251 , F19.27 , F19.921 , F19.950 , F19.951 , F19.97 , F22 , F23 , F24 , F28 , F29 , F32.3 , F33.3 , F44.89
		Agitation in Major Depressive Disorder	F32.0 , F32.1 , F32.2 , F32.3 , F32.4 , F32.5 , F32.9 , F33.0 , F33.1 , F33.2 , F33.3 , F33.40 , F33.41 , F33.42 , F33.8 , F33.9
		Agitation in Pervasive Developmental Disorder (PDD)	F84.*
		Agitation in Schizophrenia or Schizoaffective Disorder	F20.* , F25.*
Olanzapine Injection Suspension	Zyprexa Relprevv® Injection	Aggression or Irritability in Pervasive Developmental Disorder (PDD)	F84.*
		Delusions, Dementia, Psychoses	F01.* , F02.* , F03.* , F04 , F05 , F06.0 , F06.2 , F06.30 , F06.31 , F06.32 , F06.33 , F06.34 , F06.8 , F10.150 , F10.151 , F10.250 , F10.251 , F10.26 , F10.94 , F10.950 , F10.951 , F10.96 , F10.97 , F11.121 , F11.150 , F11.151 , F11.221 , F11.250 , F11.251 , F11.921 , F11.950 , F11.951 , F12.121 , F12.150 , F12.151 , F12.221 , F12.250 , F12.251 , F12.921 , F12.950 , F12.951 , F13.121 , F13.150 , F13.151 , F13.221 , F13.250 , F13.251 , F13.27 , F13.921 , F13.950 , F13.951 , F13.97 , F14.121 , F14.150 , F14.151 , F14.221 , F14.250 , F14.251 , F14.921 , F14.950 , F14.951 , F15.121 , F15.150 , F15.151 , F15.221 , F15.250 , F15.251 , F15.921 , F15.950 , F15.951 , F16.121 , F16.150 , F16.151 , F16.221 , F16.250 , F16.251 , F16.921 , F16.950 , F16.951 , F18.121 , F18.150 , F18.151 , F18.17 , F18.221 , F18.250 , F18.251 , F18.27 , F18.921 , F18.950 , F18.951 , F18.97 , F19.121 , F19.150 , F19.151 , F19.17 , F19.221 , F19.250 , F19.251 , F19.27 , F19.921 , F19.950 , F19.951 , F19.97 , F22 , F23 , F24 , F28 , F29 , F32.3 , F33.3 , F44.89
		Psychoses in Bipolar Disorder, Psychoses in Other Episodic Mood Disorders	F30.* , F31.* , F32.8 , F34.8 , F34.9 , F39
		Psychoses in Major Depressive Disorder	F32.0 , F32.1 , F32.2 , F32.3 , F32.4 , F32.5 , F32.9 , F33.0 , F33.1 , F33.2 , F33.3 , F33.40 , F33.41 , F33.42 , F33.8 , F33.9
		Schizophrenia or Schizoaffective Disorder	F20.* , F25.*

Louisiana Medicaid Fee-For-Service Pharmacy Program ICD-10-CM Update for Medications with Point-of-Sale Diagnosis Code Policies Effective 10/01/2015			
Medications Requiring Diagnosis Code(s)		Diagnosis Description	ICD-10 Codes
Generic Name	Brand Name Examples		
Olanzapine/Fluoxetine	Symbyax®	Bipolar Depression, Negative Symptoms of Psychoses in Bipolar Disorder, Negative Symptoms of Psychoses in Other Episodic Mood Disorders	F30.* , F31.* , F32.8, F34.8, F34.9, F39
		Depression	F31.3* , F31.4, F31.5, F31.75, F31.76, F31.81, F31.9, F32.* , F33.* , F34.1
		Negative Symptoms of Delusions, Dementia or Psychoses	F01.* , F02.* , F03.* , F04, F05, F06.0, F06.2, F06.30, F06.31, F06.32, F06.33, F06.34, F06.8, F10.150, F10.151, F10.250, F10.251, F10.26, F10.94, F10.950, F10.951, F10.96, F10.97, F11.121, F11.150, F11.151, F11.221, F11.250, F11.251, F11.921, F11.950, F11.951, F12.121, F12.150, F12.151, F12.221, F12.250, F12.251, F12.921, F12.950, F12.951, F13.121, F13.150, F13.151, F13.221, F13.250, F13.251, F13.27, F13.921, F13.950, F13.951, F13.97, F14.121, F14.150, F14.151, F14.221, F14.250, F14.251, F14.921, F14.950, F14.951, F15.121, F15.150, F15.151, F15.221, F15.250, F15.251, F15.921, F15.950, F15.951, F16.121, F16.150, F16.151, F16.221, F16.250, F16.251, F16.921, F16.950, F16.951, F18.121, F18.150, F18.151, F18.17, F18.221, F18.250, F18.251, F18.27, F18.921, F18.950, F18.951, F18.97, F19.121, F19.150, F19.151, F19.17, F19.221, F19.250, F19.251, F19.27, F19.921, F19.950, F19.951, F19.97, F22, F23, F24, F28, F29, F32.3, F33.3, F44.89
		Negative Symptoms of Pervasive Developmental Disorder (PDD)	F84.*
		Negative Symptoms of Psychoses in Major Depressive Disorder	F32.0, F32.1, F32.2, F32.3, F32.4, F32.5, F32.9, F33.0, F33.1, F33.2, F33.3, F33.40, F33.41, F33.42, F33.8, F33.9
Ombitasvir/Paritaprevir/ Ritonavir with Dasabuvir	Viekira Pak®	Negative Symptoms of Schizophrenia or Schizoaffective Disorder	F20.* , F25.*
		Chronic Hepatitis C	B18.2
Omeprazole DT	Prilosec® DT	Abscess of Esophagus	K20.8
		Angiodysplasia of Stomach and Duodenum with OR without Mention of Hemorrhage	K31.81*
		Atrophic Gastritis with Hemorrhage	K29.41
		Barrett's Esophagus	K22.7*
		Chronic Pancreatitis	K86.0, K86.1
		Congenital Tracheoesophageal Fistula	Q39.1, Q39.2
		Cystic Fibrosis	E84.*
		Eosinophilic Esophagitis	K20.0
		Eosinophilic Gastritis	K52.81
		Gastrointestinal Hemorrhage	K92.2
		Gastrointestinal Mucositis (Ulcerative)	K92.81
		Malignant Mast Cell Tumors	C96.2
		Multiple Endocrine Adenomas	D44.0, D44.2, D44.9
		Tracheoesophageal Fistula	J86.0
		Ulcer of Esophagus with OR without Bleeding	K22.1*
		Zollinger-Ellison Syndrome	E16.4

Louisiana Medicaid Fee-For-Service Pharmacy Program			
ICD-10-CM Update for Medications with Point-of-Sale Diagnosis Code Policies Effective 10/01/2015			
Medications Requiring Diagnosis Code(s)	Brand Name Examples	Diagnosis Description	ICD-10 Codes
OnabotulinumtoxinA	Botox®	Axillary Hyperhidrosis	L74.510
		Blepharospasm	G24.5
		Cervical Dystonia	G24.3
		Chronic Migraine (Prophylaxis)	G43.7*
		Overactive Bladder	N32.81
		Strabismus	H49.*, H50.*, H51.*
		Upper Limb Spasticity (ULS) Associated with C5-C7 Complete Quadriplegia	G82.53
		Upper Limb Spasticity (ULS) Associated with C5-C7 Incomplete Quadriplegia	G82.54
		Upper Limb Spasticity (ULS) Associated with Cerebral Palsy	G80.0, G80.1, G80.2, G80.4, G80.8, G80.9
		Upper Limb Spasticity (ULS) Associated with Diplegia of Upper Limb	G83.0
		Upper Limb Spasticity (ULS) Associated with Hemiplegia due to Late Effects of Cerebrovascular Disease	169.●51, 169.●52, 169.●53, 169.●54, 169.●59
		Upper Limb Spasticity (ULS) Associated with Intracranial Injury of Other and Unspecified Nature (Traumatic Brain Injury)	S06.1*, S06.2*, S06.3*, S06.4*, S06.5*, S06.6*, S06.8*, S06.9*
		Upper Limb Spasticity (ULS) Associated with Monoplegia of Upper Limb	G83.2*
		Upper Limb Spasticity (ULS) Associated with Monoplegia of Upper Limb due to Late Effects of Cerebrovascular Disease	169.●31, 169.●32, 169.●33, 169.●34, 169.●39
		Upper Limb Spasticity (ULS) Associated with Multiple Sclerosis (Relapsing)	G35
		Upper Limb Spasticity (ULS) Associated with Spastic Hemiplegia	G81.1*
		Upper Limb Spasticity (ULS) Associated with Spinal Cord Injury without Evidence of Spinal Bone Injury (C5-C7)	S14.1●5, S14.1●6, S14.1●7, S14.0*
		Urinary Incontinence (Detrusor Overactivity Associated with Neurological Disease)	N36.44, N31.9

Louisiana Medicaid Fee-For-Service Pharmacy Program ICD-10-CM Update for Medications with Point-of-Sale Diagnosis Code Policies Effective 10/01/2015			
Medications Requiring Diagnosis Code(s)		Diagnosis Description	ICD-10 Codes
Generic Name	Brand Name Examples		
Orlistat RF	Xenical® RF	Atherosclerosis	I70.*
		Cerebrovascular Disease	I60.*, I61.*, I62.*, I63.*, I65.*, I66.*, I67.*, I68.*, I69.*
		Dyslipidemia	E78.0-E78.5
		Gastric Reflux Disease	K21.0, K21.9
		Hyperinsulinemia	E15, E16.1
		Hypertension	I10, I11.*, I12.*, I13.*, I15.*
		Impaired Glucose Tolerance	R73.02
		Ischemic Heart Disease	I21.*, I22.*, I24.*, I25.*
		Osteoarthritis of Hips/Knees	M16.*, M17.*
		Other Peripheral Vascular Diseases	I73.*
		Phlebitis & Thrombophlebitis of Lower Extremities, unspecified	I80.3
		Phlebitis & Thrombophlebitis of Other Deep Vessels	I80.2*
		Phlebitis & Thrombophlebitis of the Femoral Vein	I80.1*
		Phlebitis & Thrombophlebitis of the Superficial Vessels of the Lower Extremities	I80.0*
		Pseudotumor Cerebri	G93.2
		Sleep Apnea	G47.30
		Type 2 Diabetes	E11.*
		Varicose Veins of Lower Extremities, with Inflammation	I83.1*
		Varicose Veins of Lower Extremities, without Mention of Ulcer and Inflammation	I83.9
		Varicose Veins of Lower Extremities, with Ulcer	I83.0*
Paliperidone Oral	Invega® Oral	Varicose Veins of the Lower Extremities with Ulcer and Inflammation	I83.2*
		Aggression or Irritability in Pervasive Developmental Disorder (PDD)	F84.*
		Delusions, Dementia, Psychoses	F01.*, F02.*, F03.*, F04, F05, F06.0, F06.2, F06.30, F06.31, F06.32, F06.33, F06.34, F06.8, F10.150, F10.151, F10.250, F10.251, F10.26, F10.94, F10.950, F10.951, F10.96, F10.97, F11.121, F11.150, F11.151, F11.221, F11.250, F11.251, F11.921, F11.950, F11.951, F12.121, F12.150, F12.151, F12.221, F12.250, F12.251, F12.921, F12.950, F12.951, F13.121, F13.150, F13.151, F13.221, F13.250, F13.251, F13.27, F13.921, F13.950, F13.951, F13.97, F14.121, F14.150, F14.151, F14.221, F14.250, F14.251, F14.921, F14.950, F14.951, F15.121, F15.150, F15.151, F15.221, F15.250, F15.251, F15.921, F15.950, F15.951, F16.121, F16.150, F16.151, F16.221, F16.250, F16.251, F16.921, F16.950, F16.951, F18.121, F18.150, F18.151, F18.221, F18.250, F18.251, F18.27, F18.921, F18.950, F18.951, F18.97, F19.121, F19.150, F19.151, F19.17, F19.221, F19.250, F19.251, F19.27, F19.921, F19.950, F19.951, F19.97, F22, F23, F24, F28, F29, F32.3, F33.3, F44.89
			F30.*, F31.*, F32.8, F34.8, F34.9, F39
		Psychoses in Bipolar Disorder, Psychoses in Other Episodic Mood Disorders	F32.0, F32.1, F32.2, F32.3, F32.4, F32.5, F32.9, F33.0, F33.1, F33.2, F33.3, F33.40, F33.41, F33.42, F33.8, F33.9
		Psychoses in Major Depressive Disorder	F30.*, F25.*
		Schizophrenia or Schizoaffective Disorder	

Louisiana Medicaid Fee-For-Service Pharmacy Program			
ICD-10-CM Update for Medications with Point-of-Sale Diagnosis Code Policies Effective 10/01/2015			
Medications Requiring Diagnosis Code(s)	Diagnosis Description	ICD-10 Codes	
Generic Name	Brand Name Examples		
Paliperidone Injection (1-month)	Invega Sustenna® Injection	Aggression or Irritability in Pervasive Developmental Disorder (PDD)	F84. *
			F01. *, F02. *, F03. *, F04. F05. F06.0, F06.2, F06.30, F06.31, F06.32, F06.33, F06.34, F06.8, F10.150, F10.151, F10.250, F10.251, F10.26, F10.94, F10.950, F10.951, F10.96, F10.97, F11.121, F11.150, F11.151, F11.221, F11.250, F11.251, F11.921, F11.950, F11.951, F12.121, F12.150, F12.151, F12.221, F12.250, F12.251, F12.921, F12.950, F12.951, F13.121, F13.150, F13.151, F13.221, F13.250, F13.251, F13.27, F13.921, F13.950, F13.951, F13.97, F14.121, F14.150, F14.151, F14.221, F14.250, F14.251, F14.921, F14.950, F14.951, F15.121, F15.150, F15.151, F15.221, F15.250, F15.251, F15.921, F15.950, F15.951, F16.121, F16.150, F16.221, F16.250, F16.251, F16.921, F16.950, F16.951, F18.121, F18.150, F18.151, F18.17, F18.221, F18.250, F18.251, F18.27, F18.921, F18.950, F18.951, F18.97, F19.121, F19.150, F19.151, F19.17, F19.221, F19.250, F19.251, F19.27, F19.921, F19.950, F19.951, F19.97, F22, F23, F24, F28, F29, F32.3, F33.3, F44.89
		Psychoses in Bipolar Disorder, Psychoses in Other Episodic Mood Disorders	F30. *, F31. *, F32.8, F34.8, F34.9, F39
		Psychoses in Major Depressive Disorder	F32.0, F32.1, F32.2, F32.3, F32.4, F32.5, F32.9, F33.0, F33.1, F33.2, F33.3, F33.40, F33.41, F33.42, F33.8, F33.9
		Schizophrenia or Schizoaffective Disorder	F20. *, F25. *
Paliperidone Injection (3-month)	Invega Trinza® Injection	Aggression or Irritability in Pervasive Developmental Disorder (PDD)	F84. *
			F01. *, F02. *, F03. *, F04. F05. F06.0, F06.2, F06.30, F06.31, F06.32, F06.33, F06.34, F06.8, F10.150, F10.151, F10.250, F10.251, F10.26, F10.94, F10.950, F10.951, F10.96, F10.97, F11.121, F11.150, F11.151, F11.221, F11.250, F11.251, F11.921, F11.950, F11.951, F12.121, F12.150, F12.151, F12.221, F12.250, F12.251, F12.921, F12.950, F12.951, F13.121, F13.150, F13.151, F13.221, F13.250, F13.251, F13.27, F13.921, F13.950, F13.951, F13.97, F14.121, F14.150, F14.151, F14.221, F14.250, F14.251, F14.921, F14.950, F14.951, F15.121, F15.150, F15.151, F15.221, F15.250, F15.251, F15.921, F15.950, F15.951, F16.121, F16.150, F16.221, F16.250, F16.251, F16.921, F16.950, F16.951, F18.121, F18.150, F18.151, F18.17, F18.221, F18.250, F18.251, F18.27, F18.921, F18.950, F18.951, F18.97, F19.121, F19.150, F19.151, F19.17, F19.221, F19.250, F19.251, F19.27, F19.921, F19.950, F19.951, F19.97, F22, F23, F24, F28, F29, F32.3, F33.3, F44.89
		Psychoses in Bipolar Disorder, Psychoses in Other Episodic Mood Disorders	F30. *, F31. *, F32.8, F34.8, F34.9, F39
		Psychoses in Major Depressive Disorder	F32.0, F32.1, F32.2, F32.3, F32.4, F32.5, F32.9, F33.0, F33.1, F33.2, F33.3, F33.40, F33.41, F33.42, F33.8, F33.9
		Schizophrenia or Schizoaffective Disorder	F20. *, F25. *

Louisiana Medicaid Fee-For-Service Pharmacy Program ICD-10-CM Update for Medications with Point-of-Sale Diagnosis Code Policies Effective 10/01/2015			
Medications Requiring Diagnosis Code(s)		Diagnosis Description	ICD-10 Codes
Generic Name	Brand Name Examples		
Pantoprazole DT	Protonix® DT	Abscess of Esophagus	K20.8
		Angiodysplasia of Stomach and Duodenum with OR without Mention of Hemorrhage	K31.81*
		Atrophic Gastritis with Hemorrhage	K29.41
		Barrett's Esophagus	K22.7*
		Chronic Pancreatitis	K86.0, K86.1
		Congenital Tracheoesophageal Fistula	Q39.1, Q39.2
		Cystic Fibrosis	E84 *
		Eosinophilic Esophagitis	K20.0
		Eosinophilic Gastritis	K52.81
		Gastrointestinal Hemorrhage	K92.2
		Gastrointestinal Mucositis (Ulcerative)	K92.81
		Malignant Mast Cell Tumors	C96.2
		Multiple Endocrine Adenomas	D44.0, D44.2, D44.9
		Tracheoesophageal Fistula	J86.0
		Ulcer of Esophagus with OR without Bleeding	K22.1*
		Zollinger-Ellison Syndrome	E16.4
Peginterferon Alfa-2A	Pegasys®	Chronic Hepatitis B	B18.0, B18.1
		Chronic Hepatitis C	B18.2
Peginterferon Alfa-2B (PegIntron®)	Peg-Intron®	Chronic Hepatitis C	B18.2
Peginterferon Alfa-2B (Sylatron®)	Sylatron®	Melanoma	C43 *
Peginterferon Beta-1A	Plegridy®	Multiple Sclerosis (Relapsing)	G35

Louisiana Medicaid Fee-For-Service Pharmacy Program ICD-10-CM Update for Medications with Point-of-Sale Diagnosis Code Policies Effective 10/01/2015			
Medications Requiring Diagnosis Code(s)		Diagnosis Description	ICD-10 Codes
Generic Name	Brand Name Examples		
Perphenazine		Aggression or Irritability in Pervasive Developmental Disorder (PDD)	F84.*
			F01.*, F02.*, F03.*, F04, F05, F06.0, F06.2, F06.30, F06.31, F06.32, F06.33, F06.34, F06.8, F10.150, F10.151, F10.250, F10.251, F10.26, F10.94, F10.950, F10.951, F10.96, F10.97, F11.121, F11.150, F11.151, F11.221, F11.250, F11.251, F11.921, F11.950, F11.951, F12.121, F12.150, F12.151, F12.221, F12.250, F12.251, F12.921, F12.950, F12.951, F13.121, F13.150, F13.151, F13.221, F13.250, F13.251, F13.27, F13.921, F13.950, F13.951, F13.97, F14.121, F14.150, F14.151, F14.221, F14.250, F14.251, F14.921, F14.950, F14.951, F15.121, F15.150, F15.151, F15.221, F15.250, F15.251, F15.921, F15.950, F15.951, F16.121, F16.150, F16.151, F16.221, F16.250, F16.251, F16.921, F16.950, F16.951, F18.121, F18.150, F18.151, F18.17, F18.221, F18.250, F18.251, F18.27, F18.921, F18.950, F18.951, F18.97, F19.121, F19.150, F19.151, F19.17, F19.221, F19.250, F19.251, F19.27, F19.921, F19.950, F19.951, F19.97, F22, F23, F24, F28, F29, F32.3, F33.3, F44.89
		Psychoses in Bipolar Disorder, Psychoses in Other Episodic Mood Disorders	F30.*, F31.*, F32.8, F34.8, F34.9, F39
		Psychoses in Major Depressive Disorder	F32.0, F32.1, F32.2, F32.3, F32.4, F32.5, F32.9, F33.0, F33.1, F33.2, F33.3, F33.40, F33.41, F33.42, F33.8, F33.9
		Schizophrenia or Schizoaffective Disorder	F20.*, F25.*
		Severe Nausea and Vomiting	G43.A0, K91.0, R11.*
		Aggression or Irritability in Pervasive Developmental Disorder (PDD) with Depression	F84.*
		Anxiety	F06.4, F34.1, F41.*
		Bipolar Disorder with Depression, Other Episodic Mood Disorders with Depression	F30.*, F31.*, F32.8, F34.8, F34.9, F39
			F01.*, F02.*, F03.*, F04, F05, F06.0, F06.2, F06.30, F06.31, F06.32, F06.33, F06.34, F06.8, F10.150, F10.151, F10.250, F10.251, F10.26, F10.94, F10.950, F10.951, F10.96, F10.97, F11.121, F11.150, F11.151, F11.221, F11.250, F11.251, F11.921, F11.950, F11.951, F12.121, F12.150, F12.151, F12.221, F12.250, F12.251, F12.921, F12.950, F12.951, F13.121, F13.150, F13.151, F13.221, F13.250, F13.251, F13.27, F13.921, F13.950, F13.951, F13.97, F14.121, F14.150, F14.151, F14.221, F14.250, F14.251, F14.921, F14.950, F14.951, F15.121, F15.150, F15.151, F15.221, F15.250, F15.251, F15.921, F15.950, F15.951, F16.121, F16.150, F16.151, F16.221, F16.250, F16.251, F16.921, F16.950, F16.951, F18.121, F18.150, F18.151, F18.17, F18.221, F18.250, F18.251, F18.27, F18.921, F18.950, F18.951, F18.97, F19.121, F19.150, F19.151, F19.17, F19.221, F19.250, F19.251, F19.27, F19.921, F19.950, F19.951, F19.97, F22, F23, F24, F28, F29, F32.3, F33.3, F44.89
		Delusions with Depression, Dementia with Depression, Psychoses with Depression	
Pimozide	Orap®	Depression	F31.3*, F31.4, F31.5, F31.75, F31.76, F31.81, F31.9, F32.*, F33.*, F34.1
		Schizophrenia with Depression, Schizoaffective Disorder with Depression	F20.*, F25.*
		Tics/Tourette's Disorder	F95.*, G25.6*

Louisiana Medicaid Fee-For-Service Pharmacy Program			
ICD-10-CM Update for Medications with Point-of-Sale Diagnosis Code Policies Effective 10/01/2015			
Medications Requiring Diagnosis Code(s)		Diagnosis Description	ICD-10 Codes
Generic Name	Brand Name Examples		
Pirbuterol Acetate QL	Maxair Autohaler® QL	Bronchitis, not specified	J40
		Chronic Airway Obstruction	J44.9
		Cystic Fibrosis	E84 *
		Emphysema	J43 *
		Obstructive Chronic Bronchitis, Chronic Obstructive Asthma	J44 *
Pomalidomide	Pomalyst®	Multiple Myeloma	C90.0*
		Aggression or Irritability in Pervasive Developmental Disorder (PDD)	F84 *
Prochlorperazine Oral	Compazine® Oral	Anxiety	F06.4, F34.1, F41. *
			F01. *, F02. *, F03. *, F04, F05, F06.0, F06.2, F06.30, F06.31, F06.32, F06.33, F06.34, F06.8, F10.150, F10.151, F10.250, F10.251, F10.26, F10.94, F10.950, F10.951, F10.96, F10.97, F11.121, F11.150, F11.151, F11.221, F11.250, F11.251, F11.921, F11.950, F11.951, F12.121, F12.150, F12.151, F12.221, F12.250, F12.251, F12.921, F12.950, F12.951, F13.121, F13.150, F13.151, F13.221, F13.250, F13.251, F13.27, F13.921, F13.950, F13.951, F13.97, F14.121, F14.150, F14.151, F14.221, F14.250, F14.251, F14.921, F14.950, F14.951, F15.121, F15.150, F15.151, F15.221, F15.250, F15.251, F15.921, F15.950, F15.951, F16.121, F16.150, F16.151, F16.221, F16.250, F16.251, F16.921, F16.950, F16.951, F18.121, F18.150, F18.151, F18.17, F18.221, F18.250, F18.251, F18.27, F18.921, F18.950, F18.951, F18.97, F19.121, F19.150, F19.151, F19.17, F19.221, F19.250, F19.251, F19.27, F19.921, F19.950, F19.951, F19.97, F22, F23, F24, F28, F29, F32.3, F33.3, F44.89
		Delusions, Dementia, Psychoses	
		Psychoses in Bipolar Disorder, Psychoses in Other Episodic Mood Disorders	F30. *, F31. *, F32.8, F34.8, F34.9, F39
		Psychoses in Major Depressive Disorder	F32.0, F32.1, F32.2, F32.3, F32.4, F32.5, F32.9, F33.0, F33.1, F33.2, F33.3, F33.40, F33.41, F33.42, F33.8, F33.9
		Schizophrenia or Schizoaffective Disorder	F20. *, F25. *
		Severe Nausea and Vomiting	G43 A0, K91.0, R11. *

Louisiana Medicaid Fee-For-Service Pharmacy Program ICD-10-CM Update for Medications with Point-of-Sale Diagnosis Code Policies Effective 10/01/2015			
Medications Requiring Diagnosis Code(s)		Diagnosis Description	ICD-10 Codes
Generic Name	Brand Name Examples		
Prochlorperazine Injection	Compazine® Injection	Aggression or Irritability in Pervasive Developmental Disorder (PDD)	F84.*
			F01.*, F02.*, F03.*, F04, F05, F06.0, F06.2, F06.30, F06.31, F06.32, F06.33, F06.34, F06.8, F10.150, F10.151, F10.250, F10.251, F10.26, F10.94, F10.950, F10.951, F10.96, F10.97, F11.121, F11.150, F11.151, F11.221, F11.250, F11.251, F11.921, F11.950, F11.951, F12.121, F12.150, F12.151, F12.221, F12.250, F12.251, F12.921, F12.950, F12.951, F13.121, F13.150, F13.151, F13.221, F13.250, F13.251, F13.27, F13.921, F13.950, F13.951, F13.97, F14.121, F14.150, F14.151, F14.221, F14.250, F14.251, F14.921, F14.950, F14.951, F15.121, F15.150, F15.151, F15.221, F15.250, F15.251, F15.921, F15.950, F15.951, F16.121, F16.150, F16.151, F16.221, F16.250, F16.251, F16.921, F16.950, F16.951, F18.121, F18.150, F18.151, F18.17, F18.221, F18.250, F18.251, F18.27, F18.921, F18.950, F18.951, F18.97, F19.121, F19.150, F19.151, F19.17, F19.221, F19.250, F19.251, F19.27, F19.921, F19.950, F19.951, F19.97, F22, F23, F24, F28, F29, F32.3, F33.3, F44.89
		Delusions, Dementia, Psychoses	
		Psychoses in Bipolar Disorder, Psychoses in Other Episodic Mood Disorders	F30.*, F31.*, F32.8, F34.8, F34.9, F39
		Psychoses in Major Depressive Disorder	F32.0, F32.1, F32.2, F32.3, F32.4, F32.5, F32.9, F33.0, F33.1, F33.2, F33.3, F33.40, F33.41, F33.42, F33.8, F33.9
		Schizophrenia or Schizoaffective Disorder	F20.*, F25.*
Prochlorperazine Rectal	Compazine® Rectal	Severe Nausea and Vomiting	G43.A0, K91.0, R11.*
		Severe Nausea and Vomiting	G43.A0, K91.0, R11.*

Louisiana Medicaid Fee-For-Service Pharmacy Program ICD-10-CM Update for Medications with Point-of-Sale Diagnosis Code Policies Effective 10/01/2015			
Medications Requiring Diagnosis Code(s)		Diagnosis Description	ICD-10 Codes
Generic Name	Brand Name Examples		
Quetiapine	Seroquel®	Aggression or Irritability in Pervasive Developmental Disorder (PDD)	F84.*
		Aggression in Conduct Disorder, Disruptive Behavior Disorder, Explosive Personality Disorder, Impulse Control Disorder, Intermittent Explosive Disorder, Isolated Explosive Disorder, Pervasive Developmental Disorder, or Unsocialized Aggression	F60.3, F63.3, F63.8*, F63.9, F84.*, F91.1, F91.8, F91.9
		Bipolar Mania, Bipolar Depression, Psychoses in Bipolar Disorder, Psychoses in Other Episodic Mood Disorders	F30.*, F31.*, F32.8, F34.8, F34.9, F39
		Delusions, Dementia, Psychoses	F01.*, F02.*, F03.*, F04, F05, F06.0, F06.2, F06.30, F06.31, F06.32, F06.33, F06.34, F06.8, F10.150, F10.151, F10.250, F10.251, F10.26, F10.94, F10.950, F10.951, F10.96, F10.97, F11.121, F11.150, F11.151, F11.221, F11.250, F11.251, F11.921, F11.950, F11.951, F12.121, F12.150, F12.151, F12.221, F12.250, F12.251, F12.921, F12.950, F12.951, F13.121, F13.150, F13.151, F13.221, F13.250, F13.251, F13.27, F13.921, F13.950, F13.951, F13.97, F14.121, F14.150, F14.151, F14.221, F14.250, F14.251, F14.921, F14.950, F14.951, F15.121, F15.150, F15.151, F15.221, F15.250, F15.251, F15.921, F15.950, F15.951, F16.121, F16.150, F16.151, F16.221, F16.250, F16.251, F16.921, F16.950, F16.951, F18.121, F18.150, F18.151, F18.17, F18.221, F18.250, F18.251, F18.27, F18.921, F18.950, F18.951, F18.97, F19.121, F19.150, F19.151, F19.17, F19.221, F19.250, F19.251, F19.27, F19.921, F19.950, F19.951, F19.97, F22, F23, F24, F28, F29, F32.3, F33.3, F44.89
		Psychoses in Major Depressive Disorder	F32.0, F32.1, F32.2, F32.3, F32.4, F32.5, F32.9, F33.0, F33.1, F33.2, F33.3, F33.40, F33.41, F33.42, F33.8, F33.9
		Schizophrenia or Schizoaffective Disorder	F20.*, F25.*
		Tics/Tourette's Disorder	F95.*, G25.6*
		Additional Covered Codes: Borderline Personality Disorder, Depersonalization Disorder, Obsessive-Compulsive Disorder, Paranoid Personality Disorder	F42, F48.1, F60.0, F60.3

Louisiana Medicaid Fee-For-Service Pharmacy Program			
ICD-10-CM Update for Medications with Point-of-Sale Diagnosis Code Policies Effective 10/01/2015			
Medications Requiring Diagnosis Code(s)		Diagnosis Description	ICD-10 Codes
Generic Name	Brand Name Examples		
Quetiapine ER	Seroquel XR®	Aggression or Irritability in Pervasive Developmental Disorder (PDD)	F84.*
		Aggression in Conduct Disorder, Disruptive Behavior Disorder, Explosive Personality Disorder, Impulse Control Disorder, Intermittent Explosive Disorder, Isolated Explosive Disorder, Pervasive Developmental Disorder, or Unsociated Aggression	F60.3, F63.3, F63.8*, F63.9, F84.*, F91.1, F91.8, F91.9
		Bipolar Disorder, Psychoses in Bipolar Disorder, Psychoses in Other Episodic Mood Disorders	F30.*, F31.*, F32.8, F34.8, F34.9, F39
		Delusions, Dementia, Psychoses	F01.*, F02.*, F03.*, F04, F05, F06.0, F06.2, F06.30, F06.31, F06.32, F06.33, F06.34, F06.8, F10.150, F10.151, F10.250, F10.251, F10.26, F10.94, F10.950, F10.951, F10.96, F10.97, F11.121, F11.150, F11.151, F11.221, F11.250, F11.251, F11.921, F11.950, F11.951, F12.121, F12.150, F12.151, F12.221, F12.250, F12.251, F12.921, F12.950, F12.951, F13.121, F13.150, F13.151, F13.221, F13.250, F13.251, F13.27, F13.921, F13.950, F13.951, F13.97, F14.121, F14.150, F14.151, F14.221, F14.250, F14.251, F14.921, F14.950, F14.951, F15.121, F15.150, F15.151, F15.221, F15.250, F15.251, F15.921, F15.950, F15.951, F16.121, F16.150, F16.151, F16.221, F16.250, F16.251, F16.921, F16.950, F16.951, F18.121, F18.150, F18.151, F18.17, F18.221, F18.250, F18.251, F18.27, F18.921, F18.950, F18.951, F18.97, F19.121, F19.150, F19.151, F19.17, F19.221, F19.250, F19.251, F19.27, F19.921, F19.950, F19.951, F19.97, F22, F23, F24, F28, F29, F32.3, F33.3, F44.89
		Major Depressive Disorder, Psychoses in Major Depressive Disorder	F32.0, F32.1, F32.2, F32.3, F32.4, F32.5, F32.9, F33.0, F33.1, F33.2, F33.3, F33.40, F33.41, F33.42, F33.8, F33.9
		Schizophrenia or Schizoaffective Disorder	F20.*, F25.*
		Tics/Tourette's Disorder	F95.*, G25.6*
		Additional Covered Codes: Borderline Personality Disorder, Depersonalization Disorder, Obsessive-Compulsive Disorder, Paranoid Personality Disorder	F42, F48.1, F60.0, F60.3

Louisiana Medicaid Fee-For-Service Pharmacy Program ICD-10-CM Update for Medications with Point-of-Sale Diagnosis Code Policies Effective 10/01/2015			
Medications Requiring Diagnosis Code(s)		Diagnosis Description	ICD-10 Codes
Generic Name	Brand Name Examples		
Rabeprazole DT	Aciphex® DT	Abscess of Esophagus	K20.8
		Angiodysplasia of Stomach and Duodenum with OR without Mention of Hemorrhage	K31.81*
		Atrophic Gastritis with Hemorrhage	K29.41
		Barrett's Esophagus	K22.7*
		Chronic Pancreatitis	K86.0, K86.1
		Congenital Tracheoesophageal Fistula	Q39.1, Q39.2
		Cystic Fibrosis	E84 *
		Eosinophilic Esophagitis	K20.0
		Eosinophilic Gastritis	K52.81
		Gastrointestinal Hemorrhage	K92.2
		Gastrointestinal Mucositis (Ulcerative)	K92.81
		Malignant Mast Cell Tumors	C96.2
		Multiple Endocrine Adenomas	D44.0, D44.2, D44.9
		Tracheoesophageal Fistula	J86.0
		Ulcer of Esophagus with OR without Bleeding	K22.1*
		Zollinger-Ellison Syndrome	E16.4
		Abscess of Esophagus	K20.8
		Barrett's Esophagus	K22.7*
		Chronic Pancreatitis	K86.0, K86.1
		Chron's Disease	K50.*
		Duodenal Ulcer	K26.*
		Esophagitis, unspecified	K20.9
		Gastric Hyperacidity	K30
		Gastric Ulcer	K25.*
		Gastritis / Duodenitis	K29.*
		Gastroesophageal Reflux Disease (GERD)	K21.9
		Gastrointestinal Hemorrhage	K92.2
		H. Pylori	B96.81
		Malignant Mast Cell Tumors	C96.2
		Multiple Endocrine Adenomas	D44.0, D44.2, D44.9
		Peptic Ulcer	K27.*
		Reflux Esophagitis	K21.0
		Ulcer of Esophagus with OR without Bleeding	K22.1*
		Zollinger-Ellison Syndrome	E16.4
		Cervical Dystonia	G24.3
RimabotulinumtoxinB	Myobloc®	Pulmonary Arterial Hypertension	I27.0, I27.2, I27.89, P29.3
Riociguat	Adempas®		

Louisiana Medicaid Fee-For-Service Pharmacy Program ICD-10-CM Update for Medications with Point-of-Sale Diagnosis Code Policies Effective 10/01/2015			
Medications Requiring Diagnosis Code(s)		Diagnosis Description	ICD-10 Codes
Generic Name	Brand Name Examples		
Risperidone Oral	Risperdal® Oral	Aggression or Irritability in Pervasive Developmental Disorder (PDD)	F84.*
		Aggression in Conduct Disorder, Disruptive Behavior Disorder, Explosive Personality Disorder, Impulse Control Disorder, Intermittent Explosive Disorder, Isolated Explosive Disorder, Pervasive Developmental Disorder, or Unsocialized Aggression	F60.3, F63.3, F63.8*, F63.9, F84.*, F91.1, F91.8, F91.9
		Bipolar Disorder Manic or Mixed, Psychoses in Bipolar Disorder, Psychoses in Other Episodic Mood Disorders	F30.*, F31.*, F32.8, F34.8, F34.9, F39
		Delusions, Dementia, Psychoses	F01.*, F02.*, F03.*, F04, F05, F06.0, F06.2, F06.30, F06.31, F06.32, F06.33, F06.34, F06.8, F10.150, F10.151, F10.250, F10.251, F10.26, F10.94, F10.950, F10.951, F10.96, F10.97, F11.121, F11.150, F11.151, F11.221, F11.250, F11.251, F11.921, F11.950, F11.951, F12.121, F12.150, F12.151, F12.221, F12.250, F12.251, F12.921, F12.950, F12.951, F13.121, F13.150, F13.151, F13.221, F13.250, F13.251, F13.27, F13.921, F13.950, F13.951, F13.97, F14.121, F14.150, F14.151, F14.221, F14.250, F14.251, F14.921, F14.950, F14.951, F15.121, F15.150, F15.151, F15.221, F15.250, F15.251, F15.921, F15.950, F15.951, F16.121, F16.150, F16.151, F16.221, F16.250, F16.251, F16.921, F16.950, F16.951, F18.121, F18.150, F18.151, F18.17, F18.221, F18.250, F18.251, F18.27, F18.921, F18.950, F18.951, F18.97, F19.121, F19.150, F19.151, F19.17, F19.221, F19.250, F19.251, F19.27, F19.921, F19.950, F19.951, F19.97, F22, F23, F24, F28, F29, F32.3, F33.3, F44.89
		Irritability in Autistic Disorder	F84.0
		Psychoses in Major Depressive Disorder	F32.0, F32.1, F32.2, F32.3, F32.4, F32.5, F32.9, F33.0, F33.1, F33.2, F33.3, F33.40, F33.41, F33.42, F33.8, F33.9
		Schizophrenia or Schizoaffective Disorder	F20.*, F25.*
		Tics/Tourette's Disorder	F95.*, G25.6*
		Additional Covered Codes: Borderline Personality Disorder, Depersonalization Disorder, Obsessive-Compulsive Disorder, Paranoid Personality Disorder	F42, F48.1, F60.0, F60.3

Louisiana Medicaid Fee-For-Service Pharmacy Program ICD-10-CM Update for Medications with Point-of-Sale Diagnosis Code Policies Effective 10/01/2015			
Medications Requiring Diagnosis Code(s)		Diagnosis Description	ICD-10 Codes
Generic Name	Brand Name Examples		
Risperidone Injection Suspension	Risperdal Consta® Injection	Aggression or Irritability in Pervasive Developmental Disorder (PDD)	F84 *
		Bipolar Disorder, Psychoses in Bipolar Disorder, Psychoses in Other Episodic Mood Disorders	F30 *, F31 *, F32.8, F34.8, F34.9, F39
		Delusions, Dementia, Psychoses	F01 *, F02 *, F03 *, F04, F05, F06.0, F06.2, F06.30, F06.31, F06.32, F06.33, F06.34, F06.8, F10.150, F10.151, F10.250, F10.251, F10.26, F10.94, F10.950, F10.951, F10.96, F10.97, F11.121, F11.150, F11.151, F11.221, F11.250, F11.251, F11.921, F11.950, F11.951, F12.121, F12.150, F12.151, F12.221, F12.250, F12.251, F12.921, F12.950, F12.951, F13.121, F13.150, F13.151, F13.221, F13.250, F13.251, F13.27, F13.921, F13.950, F13.951, F13.97, F14.121, F14.150, F14.151, F14.221, F14.250, F14.251, F14.921, F14.950, F14.951, F15.121, F15.150, F15.151, F15.221, F15.250, F15.251, F15.921, F15.950, F15.951, F16.121, F16.150, F16.151, F16.221, F16.250, F16.251, F16.921, F16.950, F16.951, F18.121, F18.150, F18.151, F18.17, F18.221, F18.250, F18.251, F18.27, F18.921, F18.950, F18.951, F18.97, F19.121, F19.150, F19.151, F19.17, F19.221, F19.250, F19.251, F19.27, F19.921, F19.950, F19.951, F19.97, F22, F23, F24, F28, F29, F32.3, F33.3, F44.89
		Psychoses in Major Depressive Disorder	F32.0, F32.1, F32.2, F32.3, F32.4, F32.5, F32.9, F33.0, F33.1, F33.2, F33.3, F33.40, F33.41, F33.42, F33.8, F33.9
		Schizophrenia or Schizoaffective Disorder	F20 *, F25 *
Sildenafil	Revatio®	Tics/Tourette's Disorder	F95 *, G25.6*
Simeprevir	Olysio®	Pulmonary Arterial Hypertension	I27.0, I27.2, I27.89, P29.3
Sofosbuvir	Sovaldi®	Chronic Hepatitis C	B18.2
		Chronic Hepatitis C	B18.2

Louisiana Medicaid Fee-For-Service Pharmacy Program ICD-10-CM Update for Medications with Point-of-Sale Diagnosis Code Policies Effective 10/01/2015			
Medications Requiring Diagnosis Code(s)		Diagnosis Description	ICD-10 Codes
Generic Name	Brand Name Examples		
Somatropin	Genotropin®, Humatrope®, Norditropin®, Nutropin®, Omnitrope®, Saizen®, Tev-Tropin®	Growth Failure in Children Associated with Renal Insufficiency or Chronic Kidney Disease	N25.0
		Iatrogenic Pituitary Disorders	E23.1, E89.3
		Panhypopituitarism, Pituitary Dwarfism	E23.0
		Prader-Willi Syndrome, Noonan Syndrome	Q87.1
		Short Stature in Children (Idiopathic or SHOX Deficiency)	R62.52
Somatropin (Serostim® only)	Serostim®	Small for Gestational Age at Birth (Fetal Growth Retardation) Who Fail to Manifest Catch-up Growth or with No Catch-up Growth	P05.1
		Turner Syndrome	Q96.*
Somatropin (Serostim® only)	Serostim®	HIV-Associated Cachexia or Wasting	R64
Somatropin (Zorbtive® only)	Zorbtive®	Short Bowel Syndrome in Patients Receiving Specialized Nutritional Support (Blind Loop Syndrome, Other Unspecified Post-Surgical Nonabsorption)	K90.2, K91.2
Tadalafil	Adeircal®	Pulmonary Arterial Hypertension	I27.0, I27.2, I27.89, P29.3
Tazarotene	Tazorac®	Psoriatic Arthritis	L40.*
Teriflunomide	Aubagio®	Multiple Sclerosis (Relapsing)	G35
Thioridazine		Aggression or Irritability in Pervasive Developmental Disorder (PDD)	F84.*
			F01.*, F02.*, F03.*, F04, F05, F06.0, F06.2, F06.30, F06.31, F06.32, F06.33, F06.34, F06.8, F10.150, F10.151, F10.250, F10.251, F10.26, F10.94, F10.950, F10.951, F10.96, F10.97, F11.121, F11.150, F11.151, F11.221, F11.250, F11.251, F11.921, F11.950, F11.951, F12.121, F12.150, F12.151, F12.221, F12.250, F12.251, F12.921, F12.950, F12.951, F13.121, F13.150, F13.151, F13.221, F13.250, F13.251, F13.27, F13.921, F13.950, F13.951, F13.97, F14.121, F14.150, F14.151, F14.221, F14.250, F14.251, F14.921, F14.950, F14.951, F15.121, F15.150, F15.151, F15.221, F15.250, F15.251, F15.921, F15.950, F15.951, F16.121, F16.150, F16.151, F16.221, F16.250, F16.251, F16.921, F16.950, F16.951, F18.121, F18.150, F18.151, F18.17, F18.221, F18.250, F18.251, F18.27, F18.921, F18.950, F18.951, F18.97, F19.121, F19.150, F19.151, F19.17, F19.221, F19.250, F19.251, F19.27, F19.921, F19.950, F19.951, F19.97, F22, F23, F24, F28, F29, F32.3, F33.3, F44.89
		Delusions, Dementia, Psychoses	
		Psychoses in Bipolar Disorder, Psychoses in Other Episodic Mood Disorders	F30.*, F31.*, F32.8, F34.8, F34.9, F39
		Psychoses in Major Depressive Disorder	F32.0, F32.1, F32.2, F32.3, F32.4, F32.5, F32.9, F33.0, F33.1, F33.2, F33.3, F33.40, F33.41, F33.42, F33.8, F33.9
		Schizophrenia or Schizoaffective Disorder	F20.*, F25.*

Louisiana Medicaid Fee-For-Service Pharmacy Program ICD-10-CM Update for Medications with Point-of-Sale Diagnosis Code Policies Effective 10/01/2015			
Medications Requiring Diagnosis Code(s)		Diagnosis Description	ICD-10 Codes
Generic Name	Brand Name Examples		
Thiothixene		Aggression or Irritability in Pervasive Developmental Disorder (PDD)	F84 *
			F01 *, F02 *, F03 *, F04, F05, F06.0, F06.2, F06.30, F06.31, F06.32, F06.33, F06.34, F06.8, F10.150, F10.151, F10.250, F10.251, F10.26, F10.94, F10.950, F10.951, F10.96, F10.97, F11.121, F11.150, F11.151, F11.221, F11.250, F11.251, F11.921, F11.950, F11.951, F12.121, F12.150, F12.151, F12.221, F12.250, F12.251, F12.921, F12.950, F12.951, F13.121, F13.150, F13.151, F13.221, F13.250, F13.251, F13.27, F13.921, F13.950, F13.951, F13.97, F14.121, F14.150, F14.151, F14.221, F14.250, F14.251, F14.921, F14.950, F14.951, F15.121, F15.150, F15.151, F15.221, F15.250, F15.251, F15.921, F15.950, F15.951, F16.121, F16.150, F16.151, F16.221, F16.250, F16.251, F16.921, F16.950, F16.951, F18.121, F18.150, F18.151, F18.17, F18.221, F18.250, F18.251, F18.27, F18.921, F18.950, F18.951, F18.97, F19.121, F19.150, F19.151, F19.17, F19.221, F19.250, F19.251, F19.27, F19.901, F19.950, F19.951, F19.97, F22, F23, F24, F28, F29, F32.3, F33.3, F44.89
		Delusions, Dementia, Psychoses	
		Psychoses in Bipolar Disorder, Psychoses in Other Episodic Mood Disorders	F30 *, F31 *, F32.8, F34.8, F34.9, F39
		Psychoses in Major Depressive Disorder	F32.0, F32.1, F32.2, F32.3, F32.4, F32.5, F32.9, F33.0, F33.1, F33.2, F33.3, F33.40, F33.41, F33.42, F33.8, F33.9
Tobramycin	Bethkis®, Tobri®	Schizophrenia or Schizoaffective Disorder	F20 *, F25 *
		Cystic Fibrosis with Pseudomonas	E84 *
Treprostinil	Orenitram® Remodulin®, Tyvaso®	Pulmonary Arterial Hypertension	I27.0, I27.2, I27.89, P29.3

Louisiana Medicaid Fee-For-Service Pharmacy Program			
ICD-10-CM Update for Medications with Point-of-Sale Diagnosis Code Policies Effective 10/01/2015			
Medications Requiring Diagnosis Code(s)		Diagnosis Description	ICD-10 Codes
Generic Name	Brand Name Examples		
Trifluoperazine		Aggression or Irritability in Pervasive Developmental Disorder (PDD)	F84.*
		Anxiety	F06.4, F34.1, F41.*
			F01.* F02.* F03.* F04, F05, F06.0, F06.2, F06.30, F06.31, F06.32, F06.33, F06.34, F06.8, F10.150, F10.151, F10.250, F10.251, F10.26, F10.94, F10.950, F10.951, F10.96, F10.97, F11.121, F11.150, F11.151, F11.221, F11.250, F11.251, F11.921, F11.950, F11.951, F12.121, F12.150, F12.151, F12.221, F12.250, F12.251, F12.921, F12.950, F12.951, F13.121, F13.150, F13.151, F13.221, F13.250, F13.251, F13.27, F13.921, F13.950, F13.951, F13.97, F14.121, F14.150, F14.151, F14.221, F14.250, F14.251, F14.921, F14.950, F14.951, F15.121, F15.150, F15.151, F15.221, F15.250, F15.251, F15.921, F15.950, F15.951, F16.121, F16.150, F16.151, F16.221, F16.250, F16.251, F16.921, F16.950, F16.951, F18.121, F18.150, F18.151, F18.17, F18.221, F18.250, F18.251, F18.27, F18.921, F18.950, F18.951, F18.97, F19.121, F19.150, F19.151, F19.17, F19.221, F19.250, F19.251, F19.27, F19.921, F19.950, F19.951, F19.97, F22, F23, F24, F28, F29, F32.3, F33.3, F44.89
		Delusions, Dementia, Psychoses	
		Psychoses in Bipolar Disorder, Psychoses in Other Episodic Mood Disorders	F30.* F31.* F32.8, F34.8, F34.9, F39
		Psychoses in Major Depressive Disorder	F32.0, F32.1, F32.2, F32.3, F32.4, F32.5, F32.9, F33.0, F33.1, F33.2, F33.3, F33.40, F33.41, F33.42, F33.8, F33.9
		Schizophrenia or Schizoaffective Disorder	F20.* F25.*
		Prostate Cancer	C61
		Psoriatic Arthritis	L40.*
		Cervical Shortening Antepartum Condition or Complication	O26.87*
		Pregnancy with History of Preterm-Labor	O09.21*
	Unspecified High Risk Pregnancy	O09.9*	
Triptorelin Pamoate	Trelstar®		
Ustekinumab	Stelara®		
Vaginal Progesterone	First-Progesterone VGS®		

Louisiana Medicaid Fee-For-Service Pharmacy Program			
ICD-10-CM Update for Medications with Point-of-Sale Diagnosis Code Policies Effective 10/01/2015			
Medications Requiring Diagnosis Code(s)		Diagnosis Description	ICD-10 Codes
Generic Name	Brand Name Examples		
Ziprasidone Oral	Geodon® Oral	Additional Covered Codes: Borderline Personality Disorder, Depersonalization Disorder, Obsessive-Compulsive Disorder, Paranoid Personality Disorder	F42, F48.1, F60.0, F60.3
		Aggression or Irritability in Pervasive Developmental Disorder (PDD)	F84.*
		Aggression in Conduct Disorder, Disruptive Behavior Disorder, Explosive Personality Disorder, Impulse Control Disorder, Intermittent Explosive Disorder, Isolated Explosive Disorder, Pervasive Developmental Disorder, or Unsociated Aggression	F60.3, F63.3, F63.8*, F63.9, F84.*, F91.1, F91.8, F91.9
		Bipolar Disorder, Psychoses in Bipolar Disorder, Psychoses in Other Episodic Mood Disorders	F30.*, F31.*, F32.8, F34.8, F34.9, F39
		Delusions, Dementia, Psychoses	F01.*, F02.*, F03.*, F04, F05, F06.0, F06.2, F06.30, F06.31, F06.32, F06.33, F06.34, F06.8, F10.150, F10.151, F10.250, F10.251, F10.26, F10.94, F10.950, F10.951, F10.96, F10.97, F11.121, F11.150, F11.151, F11.221, F11.250, F11.251, F11.921, F11.950, F11.951, F12.121, F12.150, F12.151, F12.221, F12.250, F12.251, F12.921, F12.950, F12.951, F13.121, F13.150, F13.151, F13.221, F13.250, F13.251, F13.27, F13.921, F13.950, F13.951, F13.97, F14.121, F14.150, F14.151, F14.221, F14.250, F14.251, F14.921, F14.950, F14.951, F15.121, F15.150, F15.151, F15.221, F15.250, F15.251, F15.921, F15.950, F15.951, F16.121, F16.150, F16.151, F16.221, F16.250, F16.251, F16.921, F16.950, F16.951, F18.121, F18.150, F18.151, F18.17, F18.221, F18.250, F18.251, F18.27, F18.921, F18.950, F18.951, F18.97, F19.121, F19.150, F19.151, F19.17, F19.221, F19.250, F19.251, F19.27, F19.921, F19.950, F19.951, F19.97, F22, F23, F24, F28, F29, F32.3, F33.3, F44.89
		Psychoses in Major Depressive Disorder	F32.0, F32.1, F32.2, F32.3, F32.4, F32.5, F32.9, F33.0, F33.1, F33.2, F33.3, F33.40, F33.41, F33.42, F33.8, F33.9
		Schizophrenia or Schizoaffective Disorder	F20.*, F25.*

Louisiana Medicaid Fee-For-Service Pharmacy Program ICD-10-CM Update for Medications with Point-of-Sale Diagnosis Code Policies Effective 10/01/2015			
Medications Requiring Diagnosis Code(s)		Diagnosis Description	ICD-10 Codes
Generic Name	Brand Name Examples		
Ziprasidone Injection	Geodon® Injection	Agitation in Bipolar Disorder, Agitation in Other Episodic Mood Disorders	F30. *, F31. *, F32.8, F34.8, F34.9, F39 F01. *, F02. *, F03. *, F04, F05, F06.0, F06.2, F06.30, F06.31, F06.32, F06.33, F06.34, F06.8, F10.150, F10.151, F10.250, F10.251, F10.26, F10.94, F10.950, F10.951, F10.96, F10.97, F11.121, F11.150, F11.151, F11.221, F11.250, F11.251, F11.921, F11.950, F11.951, F12.121, F12.150, F12.151, F12.221, F12.250, F12.251, F12.921, F12.950, F12.951, F13.121, F13.150, F13.151, F13.221, F13.250, F13.251, F13.27, F13.921, F13.950, F13.951, F13.97, F14.121, F14.150, F14.151, F14.221, F14.250, F14.251, F14.921, F14.950, F14.951, F15.121, F15.150, F15.151, F15.221, F15.250, F15.251, F15.921, F15.950, F15.951, F16.121, F16.150, F16.151, F16.221, F16.250, F16.251, F16.921, F16.950, F16.951, F18.121, F18.150, F18.151, F18.17, F18.221, F18.250, F18.251, F18.27, F18.921, F18.950, F18.951, F18.97, F19.121, F19.150, F19.151, F19.17, F19.221, F19.250, F19.251, F19.27, F19.921, F19.950, F19.951, F19.97, F22, F23, F24, F28, F29, F32.3, F33.3, F44.89
		Agitation in Delusions, Dementia or Psychoses	
		Agitation in Major Depressive Disorder	F32.0, F32.1, F32.2, F32.3, F32.4, F32.5, F32.9, F33.0, F33.1, F33.2, F33.3, F33.40, F33.41, F33.42, F33.8, F33.9
		Agitation in Pervasive Developmental Disorder (PDD)	F84. *
		Agitation in Schizophrenia or Schizoaffective Disorder	F20. *, F25. *
* - any number or letter or combination of UP TO FOUR numbers and letters of an assigned ICD-10-CM diagnosis code			
• - any ONE number or letter of an assigned ICD-10-CM diagnosis code			
DT - duration of therapy limit bypasses with one of these diagnoses			
RF - recipient must have at least one of these risk factors			
QL - quantity limit bypasses with one of these diagnoses			
NOTES:			
(1) From www.lamedicaid.com, follow the link for Pharmacy and Prescribing Providers to find all provider notifications regarding Fee-For-Service Pharmacy policies. The posted policies may contain ICD-9-CM diagnosis codes; however, this table may be used to determine applicable ICD-10-CM diagnosis codes for the medications included in these policies.			
(2) Other medications may require an ICD-10-CM diagnosis code. All Schedule II narcotics require a diagnosis code. COX-2 selective agents require a diagnosis code. In cases where the monthly prescription limit is exceeded, an ICD-10-CM diagnosis code is required on all prescriptions in excess of the monthly prescription limit.			